

November 2015



- centre & passenger tables
- cupboards
- stainless steel & aluminium
- interior decoration
- lighting
- equipment
- wind & sun
- accessories

lighting from

**MARLEN**

for your

**TRUCK**

|                 |    |
|-----------------|----|
| head lamps      | 3  |
| light bulbs     | 49 |
| other lights    | 43 |
| position lights | 37 |
| rear lights     | 32 |
| reverse lamps   | 31 |
| warning lights  | 17 |
| working lamps   | 26 |



## Creative Truck-Tables

Get  
inspired



Neue Farben zum Wohlfühlen, im Einklang mit dem Fahrzeuginterieur oder im *Coporate Design* Ihres Unternehmens. Alle Tische sind in diesen Farben und Umleimervarianten erhältlich



Aluminium



Telegrau



Wurzelholz



Anthrazit



Schwarz



Alpinweiss



Cappuccino



Sandbeige



Beigebraun



Enzianblau



Orientrot



Mango

## Hella Luminator LED headlamp



with high power LED for driving light and LED positionlight in Kartoval® - optic, black aluminium housing with chrome frame, Ref. 40, 12/24V, Hella no. 1F8 011 002-001

**size:** Ø222 mm  
**weight (kg):** 2,8  
**customs tariff nr.:** 85122000  
**EAN:** 4082300291322



|               |
|---------------|
| article nr.   |
| 25609330002.8 |

## Hella Luminator xenon headlamp clear glass



black housing with red design frame, included D1S-gas-discharge lamp and external 24V ballast, without position light, Ref. 37,5, 24V, Ø 222,4mm casing depth 161mm, Hella no. 1F8 007 560-631

**size:** Ø222,4 mm  
**weight (kg):** 3,9  
**customs tariff nr.:** 85122000  
**EAN:** 4082300235630



|               |
|---------------|
| article nr.   |
| 25609330007.K |

## Hella Luminator xenon chrome, Ref. 37,5



headlamp, black housing with chrome design frame, including D1S-gas-discharge lamp and external 24V ballast, 24V, Hella no. 1F8 007 560-73131

**size:** Ø222,4 mm  
**weight (kg):** 3,8  
**customs tariff nr.:** 85122000  
**EAN:** 4082300260090



|               |
|---------------|
| article nr.   |
| 25609330007.C |

**Hella Luminator Metal clear glass**

headlamp, black housing, clear glass with positionlight (W5W), without bulb (H1), Ref. 37,5, 12/24V, Hella no. 1F8 007 560 301

**size:** Ø222,4 mm  
**weight (kg):** 2,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300186116

|             |
|-------------|
| article nr. |
|-------------|

|               |
|---------------|
| 25609330002.5 |
|---------------|

**Hella Luminator Metal, Ref. 37,5**

headlamp with positionlight (W5W), black housing, without bulb (H1), with cover cap, 12/24V, Hella no. 1F8 007 560-041

**size:** Ø224,4 mm  
**weight (kg):** 3,02  
**customs tariff nr.:** 85122000  
**EAN:** 4082300071788

|             |
|-------------|
| article nr. |
|-------------|

|                |
|----------------|
| 25609330002.50 |
|----------------|

**Hella Luminator metal CELIS, Ref. 17,5**

headlight clear glass with integrated CELIS lighting technology (LED parking light ring) black housing, without bulb (H1), 12/24V, Hella no. 1F8 007 560-201

**size:** Ø222,4 mm  
**weight (kg):** 2,8  
**customs tariff nr.:** 85122000  
**EAN:** 4082300176025

|             |
|-------------|
| article nr. |
|-------------|

|             |
|-------------|
| 25609239998 |
|-------------|

**Hella Luminator Metal fog lamp**

black housing, without bulb, with cover cap, Ø224,4 mm, 12/24V, Hella no. 1N8 007 560-031

**weight (kg):** 3,02  
**customs tariff nr.:** 85122000  
**EAN:** 4082300071832

|             |
|-------------|
| article nr. |
|-------------|

|               |
|---------------|
| 25609330002.7 |
|---------------|

### Hella Luminator chromium, Ref. 37,5



headlamp with positionlight (W5W). without bulb (H1), incl. cover cap, 12/24V, Hella no. 1F8 007 560-051

**size:** Ø222 mm  
**weight (kg):** 2,94  
**customs tariff nr.:** 85122000  
**EAN:** 4082300071825



|             |
|-------------|
| article nr. |
| 25609330002 |

### Hella Luminator chromium fog lamp



chrome housing, without bulbs, incl. cover cap, Ø222 mm, Hella no. 1N8 007 560 021

**weight (kg):** 3,02  
**customs tariff nr.:** 85122000  
**EAN:** 4082300071818



|               |
|---------------|
| article nr.   |
| 25609330002.3 |

### Hella Luminator chromium, Ref. 37,5



headlamp clear glass with position light (W5W), chrome housing, without bulb (H1), Ref. 37,5, 12/24V, Hella no. 1F8 007 560-311

**size:** Ø 222,4mm  
**weight (kg):** 2,7  
**customs tariff nr.:** 85122000  
**EAN:** 4082300186123



|               |
|---------------|
| article nr.   |
| 25609330002.N |

**Hella Luminator chromium LED, Ref. 25**

headlamp with a line of 6 LEDs, chrome housing, clear glass with LED position light, without bulb (H1), 12/24V, Hella no. 1F8 007560-451

**size:** Ø222,4 mm  
**weight (kg):** 2,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300287783

|             |
|-------------|
| article nr. |
|-------------|

|                |
|----------------|
| 25609330002.NL |
|----------------|

**Hella Luminator chromium blue-light, Ref. 37,5**

headlamp with position light (W5W), chrome housing with blue glass, without bulb (H1), 12/24V, Hella no. 1F8 007 560-131

**size:** Ø224,4 mm  
**weight (kg):** 2,98  
**customs tariff nr.:** 85122000  
**EAN:** 4082300157284

|             |
|-------------|
| article nr. |
|-------------|

|               |
|---------------|
| 25609330001.1 |
|---------------|

**Hella Luminator chromium blue-light headlamp**

clear blue light glass with positionlight (W5W), chrome housing, without bulbs (H1), Ref. 37,5, 12/24V, Hella no. 1F8 007 560-321

**size:** Ø222,4 mm  
**weight (kg):** 2,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300186130

|             |
|-------------|
| article nr. |
|-------------|

|               |
|---------------|
| 25609330001.K |
|---------------|



**Hella Luminator chromium Celis® Ref. 17,5**

headlamp clear glass with integrated Celis® lighting technology (LED parking light ring), chrome housing, without bulb (H1), 12/24V, Hella no. 1F8 007 560-211

**size:** Ø222,4 mm  
**weight (kg):** 3  
**customs tariff nr.:** 85122000  
**EAN:** 4082300176032



|             |
|-------------|
| article nr. |
|-------------|

|             |
|-------------|
| 25609239999 |
|-------------|

**Hella Luminator compact chromium, Ref. 37,5**

headlamp, clear glass, chrome housing with high-boost-reflector, without lightbulb, 12/24V, Ø 170mm, Hella no. 1F3 009 094-031

**size:** Ø170 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300179286



|             |
|-------------|
| article nr. |
|-------------|

|             |
|-------------|
| 25609320000 |
|-------------|

**Hella luminator compact chromium blue, Ref. 37,5**

headlamp, clear glass, chrome housing with high-boost-reflector, without lightbulb, 12/24V, Ø 170mm, Hella no. 1F3 009 094-171

**size:** Ø170 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300236729



|             |
|-------------|
| article nr. |
|-------------|

|             |
|-------------|
| 25609320001 |
|-------------|

**Hella Luminator compact chromium Celis® Ref. 37,5**

headlamp with integrated Celis® lighting technology (LED parking light ring), chrome housing with high-boost-reflector, without lightbulb, 12/24V, Ø 170mm, Hella no. 1F1 009 094-051

**size:** Ø170 mm  
**weight (kg):** 1,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300179804

article nr.

25609320002

**Hella Luminator compact chromium Celis® Ref. 17,5**

headlamp, with integrated Celis® lighting technology (LED parking light ring), chrome housing with high-boost-reflector, clear glass, without lightbulb, 12/24V, Ø 170mm, Hella no. 1F1 009 094-051

**size:** Ø170 mm  
**weight (kg):** 1,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300179842

article nr.

25609320002.BV

**Hella Luminator compact metal, Ref. 37,5**

headlamp, black housing, clear glass with high-boost-reflector, 12/24V, Ø 170mm, Hella no. 1F3 009 094-021

**size:** Ø170 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300179095

article nr.

25609320003



**Hella Luminator compact metal Celis®**, Ref. 37,5

headlamp with integrated Celis® lighting technology (LED parking light ring), clear glass, black housing with high-boost-reflector, without lightbulb, 12/24V, Ø 170mm, Hella Nr. 1F1 009 094-041

**size:** Ø170 mm  
**weight (kg):** 1,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300179798



|             |
|-------------|
| article nr. |
| 25609320004 |

**Hella luminator compact metal xenon**, Ref. 37,5

headlamp, clear glass, black housing, incl. D1S xenon burner and ballast, Ø170 mm, Hella no. 1F3 009 094-142

**size:** Ø170 mm  
**weight (kg):** 1,7  
**customs tariff nr.:** 85122000  
**EAN:** 4082300233629



|             |
|-------------|
| article nr. |
| 25609320005 |

**Hella Rallye 3003 chrome LED**, Ref. 25

headlamp with a line of 6 LEDs, clear glass, black housing with chrome design frame, with LED position light, without bulb (H1 24V 70W), 12/24V, Hella no. 1F8 009 797-431

**size:** Ø222 mm  
**weight (kg):** 1,35  
**customs tariff nr.:** 85122000  
**EAN:** 4082300293081



|                |
|----------------|
| article nr.    |
| 25609330006.CL |

**Hella Rallye 3003 Celis®, Klarglas, Ref. 17,5**

headlamp with integrated Celis® lighting technology (LED parking light ring), black plastic housing with design chrome frame, without bulb (H1 24V 70W), 12/24V, Ø222 mm, Hella no. 1F8 009 797-451

**size:** Ø222 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300332711

article nr.

25609330006.CC

**Hella Rallye 3003 clear glass, Ref. 37,5**

headlamp with position light (W5W), black plastic housing with silver-grey design frame, without bulb (H1), 12/24V, Hella no. 1F8 009 797-021

**size:** Ø220 mm  
**weight (kg):** 1,35  
**customs tariff nr.:** 85122000  
**EAN:** 4082300249729

article nr.

25609330006.A

**Hella Rallye 3003 chrome clear glass, Ref. 37,5**

headlamp with position light (W5W), black plastic housing with design chrome frame, without bulb (H1), 12/24V, Hella no. 1F8 009 797-101

**size:** Ø220 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300279177

article nr.

25609330006.C

**Hella Rallye 3003 blue clear glass, Ref. 37,5**

headlamp with position light (W5W), black plastic housing with silver-grey design frame, without bulb (H1), 12/24V, Hella no. 1F8 009 797-031

**size:** Ø222 mm  
**weight (kg):** 1,35  
**customs tariff nr.:** 85122000  
**EAN:** 4082300249743

article nr.

25609330006.B

### Hella Rallye 3003 chrome blue, Ref. 37,5



headlamp with position light (W5W), clear blue glass, black plastic housing with design chrome frame, without bulb (H1), 12/24V, Hella no. 1F8 009 797-111

**size:** Ø220 mm  
**weight (kg):** 1,35  
**customs tariff nr.:** 85122000  
**EAN:** 4082300279184



|               |
|---------------|
| article nr.   |
| 25609330006.D |

### Hella Rallye 3000 FF, Ref. 37,5



headlamp with positionlight (W5W), black plastic housing, without bulb (H1), 12/24V, Hella no. 1F8 006 800-191

**size:** Ø222 mm  
**weight (kg):** 1,55  
**customs tariff nr.:** 85122000  
**EAN:** 4082300047677



|             |
|-------------|
| article nr. |
| 25609330006 |

### Hella Rallye 3000 FF clear glass, Ref. 37,5



headlamp with position light (W5W), black plastic housing with silvergrey frame, high boost reflector, without bulb (H1), 12/24V, Hella no. 1F8 006 800-311

**size:** Ø222 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300186154



|               |
|---------------|
| article nr.   |
| 25609330006.K |

**Hella Rallye 3000 blue, Ref. 37,5**

headlamp with position light (W5W), silver plastic housing with blue glass, without bulb (H1), 12/24V, Hella no. 1F8 006 800-221

**size:** Ø222 mm  
**weight (kg):** 1,54  
**customs tariff nr.:** 85122000  
**EAN:** 4082300143843

article nr.

25609330002.1

**Hella Rallye 3000 blue, Ref 37,5**

headlamp with position light (W5W), silver plastic housing with blue clear glass, without bulb (H1), 12/24V, Hella no. 1F8 006 800-321

**weight (kg):** 1,54  
**customs tariff nr.:** 85122000  
**EAN:** 4082300186161

article nr.

25609330002.K

**Hella Rallye 3000 Celis®, clear glas, Ref. 17,5**

headlamp with integrated Celis® lighting technology (LED parking light ring), black plastic housing with silvergrey frame, without bulb, 12/24V, Ø224 mm, Hella no. 1F8 006 800-401

**size:** Ø224 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300204315

article nr.

25609239999.K

### Hella Rallye 3000 fog lamp



black housing, without bulb, Ø 222mm, 12/24V, Hella no. 1N8 006 800-001

**size:** Ø222 mm  
**weight (kg):** 3,02  
**customs tariff nr.:** 85122000  
**EAN:** 4082300035155



article nr.  
25609330002.6

### Hella Micro FF headlamp



black plastic housing, without bulb (H3), 12V, Ref. 12,5, h87 x d17,4 mm, for standing assembly, Hella no. 1FA 007 133-021

**size:** H87 x T17,4 mm  
**weight (kg):** 1,3999999999999999  
**customs tariff nr.:** 85122000  
**EAN:** 4082300074116



article nr.  
25609251000

### Hella Micro FF foglamp



black plastic housing, without bulb (H3), 12V, h87 x d17,4 mm, for standing assembly, Hella no. 1FA 007 133-021

**size:** H87 x T17,4 mm  
**weight (kg):** 1,3999999999999999  
**customs tariff nr.:** 85122000  
**EAN:** 4082300046175



article nr.  
25609251001

### Hella Jumbo 320 Xenon, Ref. 37,5



headlamp with LED position light, black housing, with bulb, (D2S xenon burner) with fluorescent lamp ballast (1m cable length), 24V, W244,8 x H160,7 x D124 mm, Hella no. 1FE 008 773-051

**size:** B244,8 x H160,7 x T124 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300165852



article nr.  
25609330007.2

**Hella Jumbo 320 Xenon, Ref. 37,5**

headlamp with LED position light, black plastic housing, clear glass, with bulb (D2S xenon burner) and fluorescent lamp ballast (1m cable length), 12V, Hella no. 1FE 008 773-021

**size:** B244,8 x H160,7 x T124 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300165845

article nr.

25609330007.4

**Hella Jumbo 320 LED, Ref. 37,5**

headlamp with LED position light, black plastic housing, clear glass, without bulb (H7), installation upright or hanging, 12/24V, Hella no. 1FE 008 773-081

**size:** B244,8 x H160,7 x T108,5  
**weight (kg):** 1,46  
**customs tariff nr.:** 85122000  
**EAN:** 4082300265071

article nr.

25609330007.5

**Hella Jumbo 320 FF clear glass, Ref. 37,5**

headlamp with positionlight (W5W), black plastic housing, without bulb (H7), installation upright or hanging, 12/24V, Hella Nr 1FE 008 773-041

**size:** B244,8 x H160,7 x T108,5 mm  
**weight (kg):** 1,3  
**customs tariff nr.:** 85122000  
**EAN:** 4082300165821

article nr.

25609330007.3

**Hella Jumbo 320 FF clear glass, Ref. 37,5**

headlamp without positionlight, black plastic housing, without bulb (H7), installation upright or hanging, 12/24V, Hella no. 1FE 008 773-001

**size:** B244,8 x H160,7 x T108,5 mm  
**weight (kg):** 1,3  
**customs tariff nr.:** 85122000  
**EAN:** 4082300165807

article nr.

25609330007.6



**Hella Jumbo 320 FF Blue, Ref. 37,5**

headlamp without positionlight, black plastic housing, clear glass, without bulb (H7), installation upright or hanging, 12/24V, W244,8 x H160,7 x D108,5 mm, Hella no. 1FE 008 773-061

**weight (kg):** 1,3  
**customs tariff nr.:** 85122000  
**EAN:** 4082300177930



|                |
|----------------|
| article nr.    |
| 25609330007.3B |

**Hella Jumbo 220, Ref. 37,5**

headlamp, black plastic housing with chrome frame, installation upright or hanging, without bulb (H3), 12/24V, Hella no. 1FE 006 300-001

**size:** B242 x H133 x T89 mm  
**weight (kg):** 1,3  
**customs tariff nr.:** 85122000  
**EAN:** 4082300021172



|             |
|-------------|
| article nr. |
| 25609330008 |

**Hella Jumbo 220 blue, Ref. 37,5**

headlamp, black plastic housing with chrome frame, blue glass, installation upright or hanging, without bulb (H3), 12/24V, Hella no. 1FE 006 300-261

**size:** B242 x H133 x T89 mm  
**weight (kg):** 1,8  
**customs tariff nr.:** 85122000  
**EAN:** 4082300154788



|               |
|---------------|
| article nr.   |
| 25609330008.1 |

**Hella Jumbo 220 black, Ref. 37,5**

headlamp, black plastic housing with black glass frame, installation upright or hanging, without bulb (H3), 12/24V, Hella no. 1FE 006 300-041

**size:** B242 x H133 x T89 mm  
**weight (kg):** 1,42  
**customs tariff nr.:** 85122000  
**EAN:** 4082300021226



|               |
|---------------|
| article nr.   |
| 25609330008.S |

### Hella Comet FF 450



headlamp for assembly, clear glass, square black plastic housing, without bulb (H3), without position light, 12/24V, W161 x H90 x D72 mm, Hella no. 1FB 010 951-001

**size:** B161 x H90 x T72 mm  
**weight (kg):** 1,1  
**EAN:** 4082300310627

|  |             |
|--|-------------|
|  | article nr. |
|  | 25609330051 |

### Hella Comet FF 100, Ref. 17,5



headlamp for assembly standing or hanging, oval grey plastic housing, without bulb (H3), 12V, W154,5 x H79,8 x D85,9 mm, Hella no. 1FA 007 891-061

**size:** B154,5 x H79,8 x T85,9 mm  
**weight (kg):** 1,1  
**EAN:** 4082300082982

|  |             |
|--|-------------|
|  | article nr. |
|  | 25609330052 |

### Headlamp clamp for Ø63 mm pipe



For the fitting of more than 4 headlamps. Also usable for mounting single-bolt beacons

**weight (kg):** 0,36  
**customs tariff nr.:** 87082990

|                 |              |
|-----------------|--------------|
| version         | article nr.  |
| stainless steel | 282K09LBS100 |
| aluminium       | 282K09LBA100 |

### Adaptorplate for mounting of 1 Hella Luminator headlamp



on a lamp bracket type EuroBar, MiniBar or HiBar, stainless steel

**weight (kg):** 0,18  
**customs tariff nr.:** 87082990

|                 |              |
|-----------------|--------------|
| version         | article nr.  |
| stainless steel | 282K09LAS100 |

### Slim halogen headlamp, Ref. 37,5

with position light, clear lens, housing anthracite with black frame, Ø233 mm, 12V or 24V, bulbs H7 and T10 (not included)

**size:** Ø223 mm  
**weight (kg):** 1,4  
**customs tariff nr.:** 85122000



article nr.

25609320008

### Slim halogen headlamp blue, Ref. 37,5

with position light, blue lens, housing anthracite with silver frame, Ø233 mm, 12V or 24V, bulbs H7 and T10 (not included)

**size:** Ø223 mm  
**weight (kg):** 1,4  
**customs tariff nr.:** 85122000



article nr.

25609320008.B

### Hella rotating beacon KL 7000 F



light hood & case in yellow, for fixed installation, speed 160 r/min, suppression: CISPR 25, bulb power consumption 70W, total current 3.5 A, 24V, Hella no. 2RL 008 061-111, rubber pad cuneate article no. 25609330034-K

**size:** H194 x Ø155 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85318095  
**EAN:** 4082300144802



article nr.

25609330034

### Hella rotating beacon KL 7000 FL



light hood & case in yellow, with flexible pipe socket attachment for extension tube, with H1 bulb, Speed 160 r/min, bulb power consumption 70W, total current consumption 3.5A, 24V, Hella no. 2RL 008 063-111

**size:** H240 x Ø155 mm  
**weight (kg):** 2,5  
**customs tariff nr.:** 85318095  
**EAN:** 4082300144901

article nr.

25609330034.1

### Hella LED rotating beacon KL 7000 LED F



light cover & case in yellow, for fixed installation, speed 160 r/min, 10-32 V, X1-standard flash tube, ADR, total current 0.8 A, Hella no. 2RL 011 484-001

**size:** Ø165 x H118,9 mm  
**weight (kg):** 0,65  
**customs tariff nr.:** 85318095  
**EAN:** 4082300330960

article nr.

25609330034.L

### Hella Xenon strobe beacon KLX 7000 F



yellow polycarbonate light cover, silver metal housing, for permanent mounting, built-in xenon flash tube X1 (gas discharge tube) with plug-in, 24V, Hella no. 2RL 008 181-111

**size:** H195,7 Ø155 mm  
**weight (kg):** 1,3  
**customs tariff nr.:** 85318095  
**EAN:** 4082300154986

article nr.

25609330033

## Hella Xenon strobe beacon KLX 7000 FL



yellow polycarbonate light cover, silver metal housing, with flexible pipe socket attachment for extension tube, built-in xenon flash tube X1 (gas discharge tube) with plug-in, 24V, H195, 7 x Ø155 mm, Hella no. 2RL 008 181-111

**size:** H241,7 Ø155 mm  
**weight (kg):** 1,3  
**customs tariff nr.:** 85318095



article nr.

25609330033.1

## Hella rotating beacon KL Junior F



light hood & case in yellow, for fixed installation, with H1 bulb, bulb power consumption 70W, suppressed, total current 3.5 A, 24V, H172, 5 x Ø137 mm, Hella no. 2RL 007 550-011

**size:** H172,5 x Ø137 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85318095  
**EAN:** 4082300069709



article nr.

25609330034.0

## Hella rotating beacon KL Junior Plus F



light cover & case in yellow, for fixed installation, speed 180 r/min, power consumption 70W bulb, total current 3A, 24V, H190, 5 mm x Ø130, Hella no. 2RL 008 965-011

**size:** H190,5 mm x Ø130 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85318095  
**EAN:** 4082300170368



article nr.

25609330034.5

### Hella rotating beacon Rotafix LED F



light cover in yellow, black base, for fixed installation, 10 - 32V operating voltage, noise suppression, power input approx 10W, 24V 0,4 A, & 12V 0,8 A, H124,1 x Ø132 mm, Hella No. 2RL 010 979-001

**size:** H222 x Ø135 mm  
**weight (kg):** 2,5  
**customs tariff nr.:** 85318095

article nr.

25609330034.12

### Hella rotating beacon KL Rotafix F



light cover in yellow, black base, for fixed installation, with H1 bulb, total power consumption 70W 24V 3.5A, 24V, H174 x Ø130 mm, Hella no. 2RL 007 337-011

**size:** H222 x Ø135 mm  
**weight (kg):** 2,5  
**customs tariff nr.:** 85318095  
**EAN:** 4082300045307

article nr.

25609330034.11

### Hella rotating beacon KL Rotaflex FL



light cover in yellow, black base, with flexible pipe socket attachment for tube mounting, with H1 bulb, total power consumption 70W 24V 3.5A, 24V, H222 x Ø135 mm, Hella no. 2RL 006 846-011

**size:** H222 x Ø135 mm  
**weight (kg):** 2,5  
**customs tariff nr.:** 85318095  
**EAN:** 4082300045505

article nr.

25609330034.10



### Hella rotating beacon KL 710



light cover & case in yellow, for fixed installation, speed 160 r/min, power consumption 70W bulb, total current 3.5 A, 24V, H208 mm x Ø144, Hella no. 2RL 006 295-111

**size:** H208 mm x Ø144 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85318095  
**EAN:** 4082300045468



article nr.

25609330034.2

### Hella LED beacon flat K-LED FO F



light cover with clear Fresnel lens, 24V, Hella no. 2XD 010 311-001

**size:** Ø149, 5 x H88 mm  
**weight (kg):** 0,72  
**customs tariff nr.:** 85318095  
**EAN:** 4082300268027



article nr.

25609330034.8

### Hella LED rotating/flashing lamp K-LED 2.0



operating voltage 10-32V, power input max 30W, inverse-polarity protection, automatic brightness control, via switch selectable warning signal (rotating or flashing), no moving parts, extremely flat, ADR approved, Hella Nr. 2XD 011 557-101

**size:** Ø169,3 x H87,6 mm  
**weight (kg):** 1,1  
**customs tariff nr.:** 85318095



article nr.

25609330067

### Hella LED rotating/flashing lamp K-LED 2.0



magnetic mounting, operating voltage 10-32V, power input max 30W, inverse-polarity protection, automatic brightness control, via switch selectable warning signal (rotating or flashing), no moving parts, extremely flat, ADR approved, Hella Nr. 2XD 011 557-301

**size:** Ø169,3 x H87,6 mm  
**weight (kg):** 1,1  
**customs tariff nr.:** 85318095



article nr.

25609330069

## Switch for Hella K-LED 2.0



operating voltage 24V, black toggle switch with nul position, imprinted symbols, to switch between rotating and flashing warning, Hella Nr. 6FH 354 112-261

**size:** B28 x H50 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85318095

article nr.

25609330068

## Spigot for Hella beacons with



pipe socket attachment. With brass socket and rubber stopper. Ø24 mm, length approx. 100 mm. For welding to a holder. Hella no. 8HG 002 365-001

**size:** Ø24 mm, L100 mm  
**weight (kg):** 1  
**customs tariff nr.:** 85318095  
**EAN:** 4082300077759

article nr.

25609330034.3

## Hella tripod holder for beacons with



pipe socket attachment. With brass socket and rubber stopper. Mounting on the backside of the cabin roof. Ø24 mm, length 1000 mm. Displacement up to 700 mm. Hella no. 8HG 006 294-041

**size:** Ø24 mm, L1000 mm  
**weight (kg):** 1  
**customs tariff nr.:** 85318095  
**EAN:** 4082300065527

article nr.

25609330034.4

## Hella rubberplate for beacon KL & KLX 7000 F



Ø155 mm, Hella no. 9GD 863 033-001

**size:** Ø155 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85129090  
**EAN:** 4082300158601

article nr.

25609330034-K

### Beacon mounting plates Ø150 mm

To mount 3-bolt beacons (e.g. Hella)

**weight (kg):** 0,46  
**customs tariff nr.:** 87082990



| version         | article nr.   |
|-----------------|---------------|
| stainless steel | 282K09BMPS100 |
| aluminium       | 282K09BMPA100 |

### Montageplatte für Rundumleuchten Ø170 mm

To mount 3-bolt beacons (e.g. Hella)

**size:** Alu Ø 170mm  
**weight (kg):** 0,25  
**customs tariff nr.:** 87082990



| version         | article nr.   |
|-----------------|---------------|
| aluminium       | 282K09BMPA170 |
| stainless steel | 282K09BMPS170 |

### Holder for beacon mounting plates

for assembly on the side of HiBars with drop down style (left)

**weight (kg):** 0,46  
**customs tariff nr.:** 87082990



| version         | article nr.     |
|-----------------|-----------------|
| stainless steel | 282K09BABS100-L |
| aluminium       | 282K09BABA100-L |

## Verlängerung für Rundumleuchten Montageplatte



for assembly on the side of HiBars with drop down style (right)

**weight (kg):** 0,46  
**customs tariff nr.:** 87082990

| version         | article nr.     |
|-----------------|-----------------|
| stainless steel | 282K09BABS100-R |
| aluminium       | 282K09BABA100-R |

## LED flashing lamp with 3 orange LEDs



12/24V, 3 LEDs per 1W, 11 different light patterns, synchronize capable, IP65, ECE/R65 approved, 0,5 m cable

**size:** B100 x H36 x T40 mm  
**weight (kg):** 0,2  
**customs tariff nr.:** 85414010

| version | article nr.    |
|---------|----------------|
|         | 25609330069A-3 |

## LED flashing lamp with 4 orange LEDs



12/24V, 4 LEDs per 1W, 18 different light patterns, synchronize capable, IP65, ECE/R65 approved, 0,5 m cable

**size:** B120 x H36 x T40 mm  
**weight (kg):** 0,3  
**customs tariff nr.:** 85414010

| version | article nr.    |
|---------|----------------|
|         | 25609330069A-4 |

## Hella beacons beam OWS 1400



2 yellow covers, middle panel for lettering, including H1 bulbs, total current 5.4 A, incl. 4 m cable, 24V, L1400 x H177 x D300 mm, Hella no. 2RL 007 900-211 - additional article: rubber plate no. 25609330035.0

**size:** L1400 x H177 x T300 mm  
**weight (kg):** 5  
**customs tariff nr.:** 85318095  
**EAN:** 4082300078909

| version | article nr. |
|---------|-------------|
|         | 25609330035 |

## Hella beacons beam OWS X 1400



2 yellow covers, middle panel for lettering, including X1 bulbs (gas discharge lamp), 24V, L1400 x H180 x D300 mm, Hella no. 2RL 007 900-241 - additional article: rubber plate no. 25609330035.0



**size:** L1400 x H180 x T300 mm  
**weight (kg):** 8,1  
**customs tariff nr.:** 85318095  
**EAN:** 4082300159820

| version | article nr.  |
|---------|--------------|
|         | 25609330035X |

## Hella beacons beam OWS 1600



2 yellow covers, middle panel for lettering, including H1 bulbs, total current 5.4 A, incl. 4 m cable, 24V, L1600 x H177 x D300 mm, Hella no. 2RL 007 900-611 - additional article: rubber plate no. 25609330035.2



**size:** L1600 x H180 x T300 mm  
**weight (kg):** 15  
**customs tariff nr.:** 85318095  
**EAN:** 4082300085228

| version | article nr.   |
|---------|---------------|
|         | 25609330035.1 |

## Hella beacons beam OWS X 1600



2 yellow covers, middle panel for lettering, including X1 bulbs (gas discharge lamp), 24V, L1600 x H180 x D300 mm, Hella no. 2RL 007 900-631 - additional article: rubber plate no. 25609330035.2



**size:** L1600 x H180 x T300 mm  
**weight (kg):** 8,1  
**customs tariff nr.:** 85318095  
**EAN:** 4082300159783

| version | article nr.    |
|---------|----------------|
|         | 25609330035X.1 |

## LED light bar with transparent orange LEDs

15 different light patterns, tested ECE/R65, with mounting hardware & operating unit

**size:** B900 mm  
**weight (kg):** 7,1  
**customs tariff nr.:** 85414010



| version                | article nr.      |
|------------------------|------------------|
| 66 LEDs, 900 mm width  | 25609330070-900  |
| 34 LEDs, 480 mm width  | 25609330070-480  |
| 82 LEDs, 1200 mm width | 25609330070-1200 |

### Fortsetzung von LED light bar with transparent orange LEDs



15 different light patterns, tested ECE/R65, with mounting hardware & operating unit

| version                 | article nr.      |
|-------------------------|------------------|
| 98 LEDs, 1440 mm width  | 25609330070-1440 |
| 130 LEDs, 1920 mm width | 25609330070-1920 |

### Aerolite beacon 400 yellow



with 2 rotating halogen, 24V, L420 mm, e.g. for Kesa BakBars

**size:** L420 mm  
**weight (kg):** 8,1  
**customs tariff nr.:** 85122000

article nr.  
25609330036

### Hella worklight Double Beam H3



with FF technology, black fiberglass housing, without a handle, double reflector, swivel base with bracket for four-point mounting, standing or hanging mounting, rec. angle 20°-45°, protection IP5K4K, ADR suitable, 12/24V, W158 x H162 x D127 mm, Hella no. 1GA 006 991-041

**size:** B158 x H162 x T127 mm  
**weight (kg):** 0,9  
**customs tariff nr.:** 85122000  
**EAN:** 4082300044492

article nr.  
25609330009

### Hella worklight Ultra Beam H3



with FF technology, black fiberglass housing with vibration damping and mounting bracket for four-point mounting, for standing or hanging mounting, rec. angle 15°-20°, protection IP6K4K and IPX9K, ADR suitable, 12/24V, W112 x H152 x D97 mm, Hella no. 1GA 007 506-011

**size:** B112 x H152 x T97 mm  
**weight (kg):** 0,8  
**customs tariff nr.:** 85122000  
**EAN:** 4082300045581

article nr.  
25609330009-1



### Hella worklight Ultra Beam H3



with FF technology, black fiberglass housing with mounting bracket for four-point mounting, for standing or hanging mounting, no vibration damping, rec. range: vertical 130°, protection IP6K4K and IPX9K, ADR suitable, 12/24V, W112 x H127 x D97 mm, Hella no. 1GA 007 506-001

**size:** B112 x H127 x T97 mm  
**weight (kg):** 0,9  
**customs tariff nr.:** 85122000  
**EAN:** 4082300045574



|             |
|-------------|
| article nr. |
|-------------|

|               |
|---------------|
| 25609330009-U |
|---------------|

### Hella worklight Picador H3



with FF technology, black fiberglass housing with swivel base, standing or hanging mounting, rec. angle 20°-25°, protection IP5K4K, 12/24V, W154 x H94 x D77 mm, Hella no. 1GA 006 876-001

**size:** B154 x H94 x T77 mm  
**weight (kg):** 0,9  
**customs tariff nr.:** 85122000  
**EAN:** 4082300035742



|             |
|-------------|
| article nr. |
|-------------|

|              |
|--------------|
| 256093300090 |
|--------------|

### Hella worklight AS 200 Xenon D2S



with gas discharge bulb and 24V ballast, black fiberglass case with red trim ring, with swivel and mounting bracket for four-point mounting for standing or hanging mounting, 3,1 m cable with relay and fuse, ADR, protection IP5K4K and IPX9K, 24V, W160 x H191 x D163 mm, Hella no. 1GA 996 142-071

**weight (kg):** 0,9  
**customs tariff nr.:** 85122000  
**EAN:** 9002920096898



|             |
|-------------|
| article nr. |
|-------------|

|               |
|---------------|
| 25609330009-2 |
|---------------|

### Hella worklight Mega Beam LED Spotlight



with 4 LEDs, light output 600 lumens, matt black aluminum case with blue inlets, with swivel base for standing mounting, including 2 m cable, 12/24V, W110 x H120 x D20 mm, Hella no. 1GM 996 136 -191

**size:** B110 x H120 x T20 mm  
**weight (kg):** 0,9  
**customs tariff nr.:** 85122000  
**EAN:** 9002920139458

|             |
|-------------|
| article nr. |
|-------------|

|                |
|----------------|
| 25609330009-M1 |
|----------------|

### Hella worklight Modul 70 LED Gen III



with 4 LEDs, 800 lumens brightness, matt black coated aluminum housing with swivel base for standing mounting, 4-way reflector, 2 m cable, 12/24V, 13W, Ø83 mm, Hella no. 1G0 996 276-451

**size:** Ø83 mm  
**weight (kg):** 0,5  
**customs tariff nr.:** 85122000  
**EAN:** 9002920147484

|             |
|-------------|
| article nr. |
|-------------|

|              |
|--------------|
| 256093300091 |
|--------------|

### Hella worklight Power Beam 1000 LED



with 6 powerful LEDs, light output 850 lumens, 18 W, matt black aluminum housing with swivel base, without vibration damping, for standing or hanging mounting, protection IP6K7 and IP6K9K, ADR, 12/24V, W112 x H129 x D62 mm, Hella no. 1GA 996 188-001

**size:** B112 x H129 x T62 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000  
**EAN:** 9002920141932

|             |
|-------------|
| article nr. |
|-------------|

|              |
|--------------|
| 256093300092 |
|--------------|

## Hella worklight Power Beam 2000 LED



with 16 powerful LEDs, light output 2200 lumens, 43 W, matt black aluminum housing with swivel base, without vibration damping, for hanging mounting, protection IP6K7 and IP6K9K, 12/24V, W114,5 x H107,6 x D109,9 mm, Hella no. 1GA 996 189-031

**size:** B114,5 x H107,6 x T109,9 mm  
**weight (kg):** 0,9  
**customs tariff nr.:** 85122000  
**EAN:** 9002920145503



|             |
|-------------|
| article nr. |
|-------------|

|              |
|--------------|
| 256093300093 |
|--------------|

## Holder for Hella worklamps



Hella no. 8HG 990 263-111

**size:** B112 x H127 x T97 mm  
**weight (kg):** 0,9  
**customs tariff nr.:** 85122000



|             |
|-------------|
| article nr. |
|-------------|

|               |
|---------------|
| 25609330009-H |
|---------------|

## LED working light with 6 power LEDs

10-30 volt, 1080 lumens, 18 watt, 3 watt per LED, IP67, 0,5 m cable

**size:** B115 x H115 x T40 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000



|         |
|---------|
| version |
|---------|

|             |
|-------------|
| article nr. |
|-------------|

|              |
|--------------|
| 256093300033 |
|--------------|

## LED working light with 16 power LEDs

10-30 volt, 2880 lumens, 48 watt, 3 watt per LED, 6000K, IP67, 0,5 m cable

**size:** B115 x H115 x T72 mm  
**weight (kg):** 1  
**customs tariff nr.:** 85122000



|         |
|---------|
| version |
|---------|

|             |
|-------------|
| article nr. |
|-------------|

|              |
|--------------|
| 256093300034 |
|--------------|

### LED working light with 9 power LEDs



10-30 volt, 8100 lumens, 90 watt, 10 watt per LED, 6000K, IP68, 0,5m cable

**size:** B135 x H160 x T124 mm

**weight (kg):** 0,7

**customs tariff nr.:** 85122000

version

article nr.

256093300035

### LED working light with 6 power LEDs



10-30 volt, 2600 lumens, 30 watt, 5 watt per LED, 6000K, IP67, 0,5 m cable

**size:** B155 x H140 x T64 mm

**weight (kg):** 1

**customs tariff nr.:** 85122000

version

article nr.

256093300036

### LED working/reversing light with 9 power LEDs



10-30 volt, 15 watt, IP66, 2,5 m cable

**size:** B101 x H101 x T77,5 mm

**weight (kg):** 0,7

**customs tariff nr.:** 85122000

version

article nr.

256093300037

### LED reversing light with 4 power LEDs



10-30 volt, 1000 lumens, 16 watt, 6000K, IP67

**size:** B83 x H89 x T80,2 mm

**weight (kg):** 0,8

**customs tariff nr.:** 85122000

version

article nr.

256093300038

### LED working light mini with 5 power LEDs

10-30 volt, 1200 lumens, 15 watt, 3 watt per LED, IP67, 0,4 m cable

**size:** B85 x H85 x T40 mm

**weight (kg):** 0,7

**customs tariff nr.:** 85122000



|         |              |
|---------|--------------|
| version | article nr.  |
|         | 256093300039 |

### LED working light OEM with 6 LEDs

9-50 volt, 5400 lumens, 60 watt, 10 watt per LED, IP68, with DT plug connector

**size:** B155 x H130 x T66 mm

**weight (kg):** 0,7

**customs tariff nr.:** 85122000



|         |              |
|---------|--------------|
| version | article nr.  |
|         | 256093300050 |

### Hella reversing light Ultra Beam H3

with FF technology, black fiberglass housing with vibration damping, for standing or hanging mounting, protection IP6K4K and IPX9K, 24V, W112 x H102 x D97 mm, Hella no. 2ZR 997 506-391

**size:** B112 x H102 x T97 mm

**weight (kg):** 0,9

**customs tariff nr.:** 85122000

**EAN:** 9002920130196



|  |              |
|--|--------------|
|  | article nr.  |
|  | 256093300095 |

**Hella reversing light Power Beam 1000 LED**

with 6 powerful LEDs, light output 850 lumens, 18 W, matt black aluminum housing with mounting bracket, 12/24V, B112,3 (145,3) x H120,2 x T61,6 mm, Hella no. 2ZR 996 188-061

**size:** B112,3 x H120,2 x T61 mm  
**weight (kg):** 0,9  
**customs tariff nr.:** 85122000  
**EAN:** 9002920145596

article nr.

256093300097

**Hella premium rearlight 24V**

for module 9001/9362, reflector with high-quality facet optics, highly transparent, optics-free thrust washer, 90° bent bulb socket, depth approx. 79.3 mm, Ø approx. 66 mm, Hella no. 2ZR 009 001-117

**size:** Ø66 mm  
**weight (kg):** 0,1  
**customs tariff nr.:** 85122000  
**EAN:** 4082300395648

article nr.

25609311117

**Hella premium rear foglight 24V**

reflector with high-quality facet optics, highly transparent, optics-free thrust washer, 90° bent bulb socket, depth approx. 79.3 mm, Ø approx. 66 mm, Hella no. 2NE 009 001-127

**size:** Ø66 mm  
**weight (kg):** 0,1  
**customs tariff nr.:** 85122000  
**EAN:** 4082300226478

article nr.

25609311127



### Hella premium LED rear & brakelight 24V



modern LED illuminating engineering by 12 high speed LEDs, highly transparent, optics-free thrust washer, depth approx. 65 mm, Ø approx. 66 mm, Hella no. 2SB 009 001-501

**size:** Ø66 mm  
**weight (kg):** 0,1  
**customs tariff nr.:** 85122000  
**EAN:** 4082300246124



|             |
|-------------|
| article nr. |
| 25609311501 |

### Hella premium LED indicator light 24V



modern LED illuminating engineering by 12 high speed LEDs, highly transparent, optics-free thrust washer, depth approx. 65 mm, Ø approx. 66 mm, Hella no. 2BA 009 001-511

**size:** Ø66 mm  
**weight (kg):** 0,1  
**customs tariff nr.:** 85122000  
**EAN:** 4082300246131



|             |
|-------------|
| article nr. |
| 25609311511 |

### Hella module 24V LED fog lamp for ring light



module Ø55 mm series 011 172, LED lighting technology with 6 red LEDs, installation depth: 64 mm, clear lens with optics, suitable for LED ring lights with Ø97 mm, with heatsink, vehicle protection. 3A, Ø55 mm, Hella no. 2NE 011 172-481

**size:** Ø55 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300312096



|              |
|--------------|
| article nr.  |
| 256093292411 |

### Hella module 24V LED brake lamp for ring light



module Ø55 mm series 011 172, LED lighting technology with 6 red LEDs, installation depth: 64 mm, clear lens with optics, suitable for LED ring lights with Ø97 mm, vehicle protection. 3A, Ø55 mm, Hella no. 2DA 011 172-461

**size:** Ø55 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300312089



|              |
|--------------|
| article nr.  |
| 256093292412 |

### Hella module 24V LED rear lamp for ring light



module Ø55 mm series 011 172, LED lighting technology with 6 red LEDs, installation depth: 64 mm, clear lens with optics, suitable for LED ring lights with Ø97 mm, vehicle protection. 3A, Ø55 mm, Hella no. 2SA 011 172-441

**size:** Ø55 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300312072

|               |
|---------------|
| article nr.   |
| 2560932924113 |

### Hella module 24V LED indicator lamp for ring light



module Ø55 mm series 011 172, LED lighting technology with 6 yellow LEDs, installation depth: 64 mm, clear lens with optics, suitable for LED ring lights with Ø97 mm, the lamp requires a separate ballast, vehicle protection. 3A, Ø55 mm, Hella no. 2BA 011 172-421

**size:** Ø55 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300312058

|               |
|---------------|
| article nr.   |
| 2560932924114 |

### Hella module 24V LED rear lamp for ring light



module Ø55 mm series 011 172, LED lighting technology with 6 white LEDs, installation depth: 64 mm, clear lens with optics, suitable for LED ring lights with Ø97 mm, with heatsink, vehicle protection. 3A, Ø55 mm, Hella no. 2ZR 011 172-501

**size:** Ø55 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300312102

|               |
|---------------|
| article nr.   |
| 2560932924115 |

### Hella module 24V LED indicator front lamp for ring light



module Ø55 mm series 011 172, LED lighting technology with 6 yellow LEDs, installation depth: 64 mm, clear lens with optics, suitable for LED ring lights with Ø97 mm, with heatsink, the lamp requires a separate ballast, vehicle protection. 3A, Ø55 mm, Hella no. 2BA 011 172-401

**size:** Ø55 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300312034

|               |
|---------------|
| article nr.   |
| 2560932924116 |

### Hella premium annulus rear & brakelight 24V



for model 9001/9362, 16 LEDs, red glass, 3-pin water-protected plug, depth approx. 39 mm, inner Ø approx. 67 mm, outer Ø approx. 112,3 mm, Hella no. 2SB 009 362-011

**size:** Ø112,3 mm  
**weight (kg):** 0,1  
**customs tariff nr.:** 85122000  
**EAN:** 4082300234534




|             |
|-------------|
| article nr. |
| 25609312011 |

### Hella 24V LED ring light for position light



LED lighting technology by 12 high-power LEDs, clear glass, depth 25 mm, Ø97 mm, Ø55 mm modules suitable for the series 008 405, Hella no. 2PF 008 405-051

**size:** Ø97 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300176148




|               |
|---------------|
| article nr.   |
| 2560932924A01 |

### Hella 24V LED ring light for rear/brake light




LED lighting technology by 12 high-power LEDs, clear glass, depth 25 mm, Ø97 mm, Ø55 mm modules suitable for the series 008 405, Hella no. 2SB 008 405-091

**size:** Ø97 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300215243



|               |
|---------------|
| article nr.   |
| 2560932924A02 |

## Hella 24V LED ring light for rear light



LED lighting technology by 12 high-power LEDs, clear glass, depth 25 mm, Ø97 mm, Ø55 mm modules suitable for the series 008 405, Hella no. 2SA 008 405-011

**size:** Ø97 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300148084

| version | article nr.   |
|---------|---------------|
|         | 2560932924A03 |

## LED tail lamp rectangular for recessed mounting



24V, ECE approved, 2,5 m cable, UV protection, ideal for mounting on rear bumpers, rubber seal or housing must be ordered separately

**size:** B110 x H130 x T45 mm  
**weight (kg):** 0,4  
**customs tariff nr.:** 85122000

| version                                     | article nr. |
|---|-------------|
| clear lens, tail light                      | 25609320111 |
| clear lens, tail- and brake light           | 25609320112 |
| clear lens, indicator light                 | 25609320113 |
| clear lens, rear fog light                  | 25609320114 |
| clear lens, reversing light                 | 25609320115 |
| clear lens, tail, brake and indicator light | 25609320116 |
| clear lens, warnung light flashing          | 25609320117 |
| red lens, tail light                        | 25609320101 |
| red lens, tail- and brake light             | 25609320102 |
| orange lens, indicator light                | 25609320103 |
| red lens, rear fog light                    | 25609320104 |

## Rubber housing single for LED tail light



black, incl. 2 screws that fixed the rear light, rear hole spacing 45 mm

**size:** B130 x 157 x T72 mm  
**weight (kg):** 0,9  
**customs tariff nr.:** 85129090

| article nr. |
|-------------|
| 25609320121 |

### Rubber housing double for LED tail light

black, incl. 4 screws that fixed the rear light, rear hole spacing 153 mm

**size:** B257 x 155 x T72 mm  
**weight (kg):** 1,8  
**customs tariff nr.:** 85129090



|             |  |
|-------------|--|
| article nr. |  |
| 25609320122 |  |

### Rubber seal single for LED tail light

black, alternative to rubber housing

**size:** B114 x 139 x T8 mm  
**weight (kg):** 0,1  
**customs tariff nr.:** 85129090



|             |  |
|-------------|--|
| article nr. |  |
| 25609320123 |  |

### Hella LED marker light white with 5000 mm cable



with 1 hite LED, e.g. for bars made by Kelsa, 12/24V, W80 x H25 x D20 mm, Hella no. 2PF 959 590-217

**size:** B80 x H25 x T20 mm  
**weight (kg):** 0,06  
**customs tariff nr.:** 85122000  
**EAN:** 4082300303643



|  |              |
|--|--------------|
|  | article nr.  |
|  | 25609131052W |

### Hella LED marker light red with 5000mm cable



with 2 red LEDs, clear glass, e.g. for bars made by Kelsa, ADR, 12/24V, W80 x H25 x D20 mm. The lights are not certified by German Road Traffic Laws! Hella no. 2XA 959 790-418

**size:** B80 x H25 x T20 mm  
**weight (kg):** 0,14  
**customs tariff nr.:** 85414010  
**EAN:** 4082300238556



|  |              |
|--|--------------|
|  | article nr.  |
|  | 25609131052R |

### Hella LED marker light orange (amber)



with 2450 mm cable e.g. for bars made by Kelsa. W80 x H25 x D20 mm. The lights are not certified by German Road Traffic Laws! Hella no. 2XS 959 650-001

**size:** B80 x H25 x T20 mm  
**weight (kg):** 0,08  
**customs tariff nr.:** 85414010

|               |
|---------------|
| article nr.   |
| 25609131052-O |

### Hella LED marker light blue with 120 mm cable



with 2 blue LEDs, clear glass, 12/24V, e.g. for bars made by Kelsa. The lights are not certified by German Road Traffic Laws! Hella no. 2XT 959 510-657

**size:** B80 x H25 x T20 mm  
**weight (kg):** 0,02  
**customs tariff nr.:** 85414010  
**EAN:** 4082300229141

|              |
|--------------|
| article nr.  |
| 25609131052B |

### Hella LED marker light green with 120 mm cable



with 2 green LEDs, 12/24V, e.g. for bars made by Kelsa. W80 x H25 x D20 mm. The lights are not certified by German Road Traffic Laws! Hella no. 2XT 959 510-151

**size:** B80 x H25 x T20 mm  
**weight (kg):** 0,02  
**customs tariff nr.:** 85414010

|              |
|--------------|
| article nr.  |
| 25609131052G |

### LED limiting light classic 5 LEDs



24V, marker lamp, hole spacing 90 mm, 5 m cable

**weight (kg):** 0,1  
**customs tariff nr.:** 85414010

| version        | article nr.   |
|----------------|---------------|
| amber (orange) | 25609131063-A |
| red            | 25609131063-R |
| white          | 25609131063-W |

### Gylle LED position lamp



Ø50 mm (glass)

**size:** 50/80 mm  
**weight (kg):** 0,05  
**customs tariff nr.:** 85122000



| version   | article nr. |
|-----------|-------------|
| red/white | 256010001WR |
| red/amber | 256010001OR |

### Gylle LED position light short



12/24V, Ø70/110 mm, with 6 diodes on each side, glass made of impact resistant macrolon

**size:** Ø70/110 mm  
**weight (kg):** 0,58  
**customs tariff nr.:** 85122000



| version     | article nr.  |
|-------------|--------------|
| amber/amber | 256010001KOO |
| red/amber   | 256010001KOR |
| red/white   | 256010001KWR |

### Gylle LED position light short clear glass



12/24V, Ø70/110 mm, with 6 diodes on each side, glass made of impact resistant macrolon

**size:** Ø70/110 mm  
**weight (kg):** 0,05  
**customs tariff nr.:** 85122000



| version     | article nr.    |
|-------------|----------------|
| amber/amber | 256010001KOO-C |
| red/amber   | 256010001KOR-C |
| red/white   | 256010001KWR-C |



### Gylle LED position light long



L195 mm, curved, 12/24V, Ø70 mm, with 6 diodes on each side, glass made of impact resistant macrolon

**size:** L195 x Ø70/110 mm  
**weight (kg):** 0,8  
**customs tariff nr.:** 85122000

| version     | article nr.  |
|-------------|--------------|
| red/white   | 256010001LWR |
| red/amber   | 256010001LOR |
| amber/amber | 256010001LOO |

### Gylle LED position light long clear glass



L195 mm, curved, 12/24V, Ø70 mm, with 6 diodes on each side, glass made of impact resistant macrolon

**size:** L195 x Ø70/110 mm  
**weight (kg):** 0,8  
**customs tariff nr.:** 85122000

| version     | article nr.    |
|-------------|----------------|
| red/white   | 256010001LWR-C |
| amber/amber | 256010001LOO-C |
| red/amber   | 256010001LOR-C |

### Gylle LED position light replacement



12/24V with 5 m cable, 6 diodes, Ø70 mm, glass made of impact resistant macrolon, E-marked

**size:** Ø70 mm  
**weight (kg):** 0,26  
**customs tariff nr.:** 85129090

| version             | article nr.  |
|---------------------|--------------|
| white (clear glass) | 256010001KW  |
| red                 | 256010001KR  |
| red (clear glass)   | 256010001KRC |
| amber (orange)      | 256010001KO  |
| amber (clear glass) | 256010001KOC |

### Gylle LED position light replacement - orange



12/24V with 5 m cable, 5 diodes in a line, Ø70 mm, glass made of impact resistant macrolon,

**size:** Ø70 mm  
**weight (kg):** 0,24  
**customs tariff nr.:** 85129090



| version        | article nr.  |
|----------------|--------------|
| amber (orange) | 256010001KO2 |

### Gylle position light short



Ø70/110 mm, for 5W BA15 bulbs (not included)

**size:** Ø70/110 mm  
**weight (kg):** 0,8  
**customs tariff nr.:** 85122000



| version   | article nr.  |
|-----------|--------------|
| red/white | 256010002KWR |
| red/amber | 256010002KOR |

### Gylle position light long



L195 mm, curved, 12/24V, Ø70/110 mm, for 5W BA15 bulbs (not included)

**size:** L195 mm x Ø70/110 mm  
**weight (kg):** 0,8  
**customs tariff nr.:** 85122000



| version   | article nr.  |
|-----------|--------------|
| red/amber | 256010002LOR |
| red/white | 256010002LWR |

## Replacement glass for position light



Ø 50/70 mm

**size:** Ø50/70 mm

**weight (kg):** 0,05

**customs tariff nr.:** 85129090

| version               | article nr.  |
|-----------------------|--------------|
| amber (orange)        | 256010002KO  |
| red                   | 256010002KR  |
| white (clear glass)   | 256010002KW  |
| white (frosted glass) | 256010002KWM |

## LED insert for LED position light "VIKING"



12-24V, Ø 60 mm, 6 LEDs arranged in a star-shaped, E-mark, 5 m cable

**size:** Ø60 T32 mm

**weight (kg):** 0,05

**customs tariff nr.:** 85129090

| version             | article nr.   |
|---------------------|---------------|
| amber (orange)      | 2560100032-A  |
| red                 | 2560100032-R  |
| white (clear glass) | 2560100032-W  |
| amber (clear glass) | 2560100033C-A |
| red (clear glass)   | 2560100033C-R |

## Rubber case for LED position lamp "VIKING"



model black short 90 ° rotated , suitable for all 60 mm LED inserts, 1 LED insert necessary

**weight (kg):** 0,1

**customs tariff nr.:** 85129090

| article nr.  |
|--------------|
| 2560100031-C |

### Rubber case for LED position lamp "VIKING"

model black short, suitable for all 60 mm LED inserts, 2 LED inserts necessary

**weight (kg):** 0,1  
**customs tariff nr.:** 85129090



article nr.

2560100031-K

### Rubber case for LED position lamp "VIKING"

model black long swingled, suitable for all 60 mm LED inserts, 2 LED inserts necessary

**weight (kg):** 0,1  
**customs tariff nr.:** 85129090



article nr.

2560100031-L

### Hella LED outlining light LED 24 V

for assembly e.g. on trailers with box. LED technology, clear glass, W 247 x H20 mm, Hella no. 2XS 008 078-001

**size:** B247 x H20 mm  
**weight (kg):** 0,08  
**customs tariff nr.:** 85122000  
**EAN:** 4082300098044



article nr.

25609330023

### Hella additional brake light stripe with 10 LEDs, 24V

red housing, L280 x H25,97 mm, with 3 m cable, Hella no. 2DA 343 106-011

**size:** L280 x H25,97 mm  
**weight (kg):** 0,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300182767



article nr.

25609330101

### Hella additional brake light stripe with 10 LEDs, 12V



red housing, L280 x H25,97 mm, with 3 m cable, Hella no. 2DA 343 106-001

**size:** L280 x H25,97 mm  
**weight (kg):** 0,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300182750

|             |
|-------------|
| article nr. |
| 25609330100 |

### Hella interior light with switch



and compact fluorescent lamp 13W, full-screens, 12/24V Hella no. 2JA 007 372-051

**weight (kg):** 0,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300046144

|             |
|-------------|
| article nr. |
| 25609330080 |

### 4 point LED inlet red-white with 0,8 m cable



e.g. swing position lights

**weight (kg):** 0,2  
**customs tariff nr.:** 85122000

|                  |
|------------------|
| article nr.      |
| 25609330017.7-RW |

### 4 point LED inlet red-white with 6 m cable



e.g. for swing position lights

**weight (kg):** 0,2  
**customs tariff nr.:** 85122000

|                  |
|------------------|
| article nr.      |
| 25609330017.8-RW |

### 4 point LED inlet yellow-yellow with 0,8 m cable

e.g. for swing position lights

**weight (kg):** 0,2  
**customs tariff nr.:** 85122000



| article nr.      |
|------------------|
| 25609330017.9-GG |

### LED-Flexistripe, with blue LEDs

incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0,01  
**customs tariff nr.:** 85414010



| version        | article nr.        |
|----------------|--------------------|
| 15 LEDs 30 cm  | 256093302500-30.B  |
| 30 LEDs 60 cm  | 256093302500-60.B  |
| 45 LEDs 90 cm  | 256093302500-90.B  |
| 60 LEDs 120 cm | 256093302500-120.B |

### LED-Flexistripe, with yellow LEDs

incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0,01  
**customs tariff nr.:** 85414010



| version        | article nr.         |
|----------------|---------------------|
| 15 LEDs 30 cm  | 256093302500-30.GB  |
| 30 LEDs 60 cm  | 256093302500-60.GB  |
| 45 LEDs 90 cm  | 256093302500-90.GB  |
| 60 LEDs 120 cm | 256093302500-120.GB |

### LED-Flexistripe, with green LEDs

incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0,02  
**customs tariff nr.:** 85414010



| version       | article nr.        |
|---------------|--------------------|
| 15 LEDs 30 cm | 256093302500-30.GR |
| 30 LEDs 60 cm | 256093302500-60.GR |

### Fortsetzung von LED-Flexistripen, with green LEDs

incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

| version        | article nr.         |
|----------------|---------------------|
| 45 LEDs 90 cm  | 256093302500-90.GR  |
| 60 LEDs 120 cm | 256093302500-120.GR |

### LED-Flexistrips with orange LEDs



incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0,29  
**customs tariff nr.:** 85414010

| version       | article nr.       |
|---------------|-------------------|
| 15 LEDs 30 cm | 256093302500-30.O |
| 30 LEDs 60 cm | 256093302500-60.O |
| 45 LEDs 90 cm | 256093302500-90.O |

### LED-Flexistripen, with red LEDs



incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0,02  
**customs tariff nr.:** 85414010

| version        | article nr.        |
|----------------|--------------------|
| 15 LEDs 30 cm  | 256093302500-30.R  |
| 30 LEDs 60 cm  | 256093302500-60.R  |
| 45 LEDs 90 cm  | 256093302500-90.R  |
| 60 LEDs 120 cm | 256093302500-120.R |

### LED-Flexistripen, with white LEDs



incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0,01  
**customs tariff nr.:** 85414010

| version        | article nr.        |
|----------------|--------------------|
| 15 LEDs 30 cm  | 256093302500-30.W  |
| 30 LEDs 60 cm  | 256093302500-60.W  |
| 45 LEDs 90 cm  | 256093302500-90.W  |
| 60 LEDs 120 cm | 256093302500-120.W |



### LED-Flexistrips, with xenon-white LEDs

incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0,01  
**customs tariff nr.:** 85414010



| version        | article nr.         |
|----------------|---------------------|
| 15 LEDs 30 cm  | 256093302500-30.XW  |
| 30 LEDs 60 cm  | 256093302500-60.XW  |
| 45 LEDs 90 cm  | 256093302500-90.XW  |
| 60 LEDs 120 cm | 256093302500-120.XW |

### LED light stripe 30 cm, flexible, with 16 xenon white

LEDs, including 2 m cable & ballast, H10 mm, thickness 2mm, 24V-36V, with 3M mounting tape, using for in- or outside (with contamination protection). The lighting is not permitted according to Road Traffic Regulation

**weight (kg):** 0,1  
**customs tariff nr.:** 85414010



| version | article nr.        |
|---------|--------------------|
|         | 256093302550-30.XW |

### Stainless steel sidelight, white-red

e.g. for side marking pipes, (BA15)

**weight (kg):** 0,16  
**customs tariff nr.:** 85122000



| article nr. |
|-------------|
| 25609330017 |

### Stainless steel sidelight, orange-orange

e.g. for side marking pipes, (BA15). The lights are not certified by German Road Traffic Laws!

**weight (kg):** 0,2  
**customs tariff nr.:** 85122000



| article nr.   |
|---------------|
| 25609330017.5 |

### Spare glass for stainless steel sidelight



for part number 25609330017, Ø60 mm

**size:** Ø60 mm  
**weight (kg):** 0,05  
**customs tariff nr.:** 85122000

| version | article nr.   |
|---------|---------------|
| white   | 25609330017.1 |
| red     | 25609330017.2 |
| amber   | 25609330017.3 |

### Top-roof positionlight white e.g. for Volvo



for LED BA15 bulb, white art.no. 25609330049 or yellow art. no. 25609330049.5G

**weight (kg):** 0,05  
**customs tariff nr.:** 85122000

|             |  |
|-------------|--|
| article nr. |  |
| 256031000.W |  |

### Top-roof positionlight orange e.g. for Volvo



for LED BA15 bulb, white art.no. 25609330049 or yellow art. no. 25609330049.5G

**weight (kg):** 0,05  
**customs tariff nr.:** 85122000

|             |  |
|-------------|--|
| article nr. |  |
| 256031000.G |  |

### Marker light " Cab light", chrome and clear glass



fastened with two screws and connected to the +/- on eg. position light cable, 4 white leds, distance between mounting holes: 155 mm, 199 x 70 x 50 mm, 12-24 volt, power consumption 0,02 A, 12 month warranty

**size:** 199 x 70 x 50 mm  
**weight (kg):** 0,05  
**customs tariff nr.:** 85122000

| version | article nr.   |
|---------|---------------|
|         | 256031000.LED |

### LED interior light without switch

1 ft., W305 mm, 18 power LEDs, 170 lumens, uniform illumination, aluminum housing with 0.3 m cable, beam angle 130 °, 24V - 2.2 watts, ADR approved, IP6K9K

**weight (kg):** 0,3  
**customs tariff nr.:** 85122000



| article nr. |
|-------------|
| 25609330090 |

### LED interior light with switch

1 ft., W305 mm, 18 power LEDs, 170 lumens, uniform illumination, aluminum housing with 0.3 m cable, beam angle 130 °, 24V - 2.2 watts, ADR approved, IP6K9K

**weight (kg):** 0,3  
**customs tariff nr.:** 85122000



| article nr. |
|-------------|
| 25609330091 |

### SMD LED Bulb 24V BA15

with 8 SMD LEDs, with electronic voltage regulator 24/32V, CE certified

**weight (kg):** 0,02  
**customs tariff nr.:** 85414010



| version | article nr.     |
|---------|-----------------|
| yellow  | 256092773208.GB |
| red     | 256092773208.R  |
| white   | 256092773208.W  |

### LED sofitte 24V, 6 LEDs, L42/44 mm

1 piece, with electronic voltage regulator 20-30V. Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!

**size:** L42/44 mm  
**weight (kg):** 0,02  
**customs tariff nr.:** 85414010



| version | article nr.      |
|---------|------------------|
| blue    | 2560933024230.B  |
| yellow  | 2560933024234.GB |
| green   | 2560933024232.GR |
| red     | 2560933024231.R  |
| white   | 2560933024233.W  |

### LED sofitte 12V, 2 SMD LEDs (xenon-white)



1 piece, with electronic voltage regulator, L38 mm, e.g. for license plate light.  
Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!

**size:** L38 mm  
**weight (kg):** 0,02  
**customs tariff nr.:** 85414010

| version | article nr.      |
|---------|------------------|
|         | 2560933024240.XW |

### SMD LED position light 24V glass base W5W



2 piece set, 1 x SMD LED W3W/W5W, with electronic voltage regulator 20-30V.  
Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010

| version     | article nr.      |
|-------------|------------------|
| blue        | 2560933024270.B  |
| red         | 2560933024271.R  |
| green       | 2560933024272.GR |
| xenon-white | 2560933024273.XW |
| yellow      | 2560933024274.GB |

### SMD LED position light 24V glass base W5W



2er Set, 4 x SMD LED W3W/W5W, mit elektronischen Spannungsregler 20-30V. Nur für Export - innerhalb der EU nicht zulässig! Vor dem Starten des Fahrzeugs bitte die Beleuchtung ausschalten - Überspannungsgefahr!

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010

| version     | article nr.      |
|-------------|------------------|
| blue        | 2560933024280.B  |
| red         | 2560933024281.R  |
| green       | 2560933024282.GR |
| xenon-white | 2560933024283.XW |
| yellow      | 2560933024284.GB |

### SMD LED bulb 24V bayonet BA9



2 piece set, with 5 power SMD LEDs, with electronic voltage regulator 24-33V.  
Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010

| version | article nr.      |
|---------|------------------|
| yellow  | 2560933024310.GB |

### Fortsetzung von SMD LED bulb 24V bayonet BA9

2 piece set, with 5 power SMD LEDs, with electronic voltage regulator 24-33V. Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!



| version     | article nr.      |
|-------------|------------------|
| xenon-white | 2560933024310.XW |

### SMD LED bulb 24V bayonet BA15

with 5 power SMD LEDs, with electronic voltage regulator 24-33V, 2 piece set. Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!



**weight (kg):** 0,01  
**customs tariff nr.:** 85414010

| version     | article nr.      |
|-------------|------------------|
| yellow      | 2560933024320.GB |
| xenon-white | 2560933024320.XW |

### SMD LED bulb 24V bayonet BA9 (xenon-white)

with 1 SMD LED, with electronic voltage regulator 24-32V. 2 piece set. Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!



**weight (kg):** 0,02

| version | article nr.      |
|---------|------------------|
|         | 2560933024900.XW |