



February 2015

- LED bulbs
- LED headlamp module
- LED stripes
- LED position lamps
- LED work lamps
- LED rear lamps
- LED headlamps & warning lamps
- LED cabin roof light shields
- other LED lamps

LED bulbs & lamps from

**MARLEN**

for your

**TRUCK**

LED light bulbs	5
LED module for Volvo headlamps	12
LED module for Hella headlamps	13
LED stripes	16
LED position lights	19
LED work lamps	25
LED rear lamps	29
LED headlamps & warning lights	31
LED cabin roof light shields	36
other LED lamps	39

**SMD LED Bulb 24V BA15**

with 8 SMD LEDs, with electronic voltage regulator 24/32V, CE certified

**weight (kg):** 0,02  
**customs tariff nr.:** 85414010



version	article nr.
yellow	256092773208.GB
red	256092773208.R
white	256092773208.W

**LED position lamp 24V**

for Hella headlamps - with electronic voltage regulator 20 - 32 Volt, with CE, only for export - not appropriate for EU! Before starting the vehicle ask the lighting switch off - Overvoltage danger!!!!

**weight (kg):** 0,02  
**customs tariff nr.:** 85414010



version	article nr.
white	25609330049.W
yellow	25609330049.G
blue	25609330049.B

**SMD LED light bulb 24 V with 5 LEDs**

**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
white 5 LEDs	25609330049.1W
blue 5 LEDs	25609330049.1B
yellow 5 LEDs	25609330049.1G

**LED Glühlampe 24V bajonet BA15s (5LEDs / Orange)**

for example for Scania position lamp on the sun visor, with electronic voltage regulator 20 - 32 Volt, with CE - only for export - not appropriate for EU! Before starting the vehicle ask the lighting switch off - overvoltage danger!!!!

**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
yellow 5 LEDs	25609330049.5G
white 5 LEDs	25609330049

### LED light bulb 24V bajonet BA9S



for 4/5, 2 pieces - with electronic voltage regulator 20 - 30 Volt, only for export - not appropriate for EU! Before starting the vehicle ask the lighting switch off - overvoltage danger!!!!

**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
blue	2560933024110.B
red	2560933024111.R
green	2560933024112.GR
yellow	2560933024114.GB

### LED light bulb 24V bajonet BA9S



with 4 xenon-white LEDs, 2 pieces - for 4/5 Watt - with electronic voltage regulator 20 - 30 Volt, only for export - not appropriate for EU!

**weight (kg):** 0,017  
**customs tariff nr.:** 85414010

version	article nr.
xenon-white 4 LEDs	2560933024113.XW-N

### LED light bulb 24V W3W / W5W



2 pieces - with electronic voltage regulator 20 - 30 Volt, only for export! Not appropriate for EU! Before starting the vehicle ask the lighting switch off - overvoltage danger!!!!

**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
blue	2560933024120.B
red	2560933024121.R
green	2560933024122.GR
xenon-white	2560933024123.XW
yellow	2560933024124.GB

### LED light bulb 24V bajonet BA 15 3LEDs

LED light bulb 24V bajonet BA 15 (3LEDs/blue), 1 piece, e.g. Scania positionlight at the sunvisor - with electronic voltage regulator 20 - 30 Volt, only for export! Not appropriate for EU! Before starting the vehicle ask the lighting switch off- Overvoltage danger!!!!

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010



version	article nr.
blue 3 LEDs	2560933024130.B
red 3 LEDs	2560933024131.R
green 3 LEDs	2560933024132.GR
xenon-white 3 LEDs	2560933024133.XW
yellow 3 LEDs	2560933024134.GB

### LED light bulb 24V bajonet BA 15S 12LEDs

5-10 Watt, 1 piece- with electronic voltage regulator 20 - 30 Volt, only for export! Not appropriate for EU! Before starting the vehicle ask the lighting switch off - overvoltage danger!!!!

**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
red 12 LEDs	2560933024140.R
green 12 LEDs	2560933024142.B
yellow 12 LEDs	2560933024143.GB
white 12 LEDs	2560933024144.W
green 12 LEDs	2560933024145.GR

### LED light bulb 24V bajonet BA 15 19LEDs

5 Watt, 1 piece- with electronic voltage regulator 20 - 30 Volt, only for export! Not appropriate for EU! Before starting the vehicle ask the lighting switch off - overvoltage danger!!!!

**weight (kg):** 0,02  
**customs tariff nr.:** 85414010



version	article nr.
red 19 LEDs	2560933024151.R
blue 19 LEDs	2560933024152.B
yellow 19 LEDs	2560933024153.GB
white 19 LEDs	2560933024154.W
green 19 LEDs	2560933024155.GR

### LED light bulb 24V bajonet BA15 - 3 LEDs



with an 45° angle, 1 piece - for ex. Scania positionlight on the sunvisor with electronic tension regulator 20 - 30 Volt. Only for export - not allowed inside of the EU! Please disconnect the lighting before powering up the truck - risk of overvoltage

**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
yellow 3 LEDs	2560933024160.GB
red 3 LEDs	2560933024160.R
xenon-white 3 LEDs	2560933024160.XW

### LED light bulb 24V bajonet BA15S 36 LEDs



21W, Ø 25mm, 1 piece - with electronic voltage regulator. only for export - not appropriate for EU!

**weight (kg):** 0,02  
**customs tariff nr.:** 85414010

version	article nr.
white 36 LEDs	2560933024161.W
red 36 LEDs	2560933024162.R

### SMD LED sofitte 24V 6LEDs



38 mm, 1 piece- with electronic voltage regulator 24 - 28 Volt, only for export! Not appropriate for EU! Before starting the vehicle ask the lighting switch off - overvoltage danger!!!!

**weight (kg):** 0,04  
**customs tariff nr.:** 85414010

version	article nr.
yellow 6 LEDs	2560933024202.GB
xenon-white 6 LEDs	2560933024202.XW
red 6 LEDs	2560933024202.R
white 6 LEDs	2560933024202.W

### SMD LED sofitte 24V 6LEDs



42 mm, 1 piece- with electronic voltage regulator 24 - 28 Volt, only for export! Not appropriate for EU! Before starting the vehicle ask the lighting switch off - overvoltage danger!!!!

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010

version	article nr.
yellow 6 LEDs	2560933024203.GB
red 6 LEDs	2560933024203.R
xenon-white 6 LEDs	2560933024203.XW

### SMD LED sofitte 24V 8LEDs warmwhite

42 mm, 1 piece- with electronic voltage regulator 24 - 28 Volt, only for export!  
Not appropriate for EU! Before starting the vehicle ask the lighting switch off -  
overvoltage danger!!!!

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010



version	article nr.
warm-white 8 LEDs	2560933024203.W

### LED sofitte 24V 4LEDs

31 mm, 1 piece- with electronic voltage regulator 20 - 30 Volt, only for export!  
Not appropriate for EU! Before starting the vehicle ask the lighting switch off -  
overvoltage danger!!!!

**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
blue 4 LEDs	2560933024210.B
red 4 LEDs	2560933024211.R
green 4 LEDs	2560933024212.GR
white 4 LEDs	2560933024213.W
yellow 4 LEDs	2560933024214.GB

### LED sofitte 24V 3LEDs

39 mm, 1 piece- with electronic voltage regulator 20 - 30 Volt, only for export!  
Not appropriate for EU! Before starting the vehicle ask the lighting switch off -  
overvoltage danger!!!!

**size:** 39 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
blue 3 LEDs	2560933024220.B
green 3 LEDs	2560933024222.GR

### LED sofitte 24V 6 LEDs

39 mm with electronic voltage regulator 20 - 30 Volt. Only for export! Not  
appropriate for EU! Before starting the vehicle ask the lighting switch off -  
overvoltage danger!!!!

**size:** 39 mm  
**weight (kg):** 0,02  
**customs tariff nr.:** 85414010



version	article nr.
red 6 LEDs	2560933024221.R
white 6 LEDs	2560933024223.W
yellow 6 LEDs	2560933024224.GB

**LED sofitte 24V, 6 LEDs, L42/44 mm**

1 piece, with electronic voltage regulator 20-30V. Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!

**size:** L42/44 mm  
**weight (kg):** 0,02  
**customs tariff nr.:** 85414010

version	article nr.
blue	2560933024230.B
yellow	2560933024234.GB
green	2560933024232.GR
red	2560933024231.R
white	2560933024233.W

**LED sofitte 12V, 2 SMD LEDs (xenon-white)**

1 piece, with electronic voltage regulator, L38 mm, e.g. for license plate light. Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!

**size:** L38 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
	2560933024240.XW

**SMD LED position light 24V glass base W5W**

2 piece set, 1 x SMD LED W3W/W5W, with electronic voltage regulator 20-30V. Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010

version	article nr.
blue	2560933024270.B
red	2560933024271.R
green	2560933024272.GR
xenon-white	2560933024273.XW
yellow	2560933024274.GB

**SMD LED position light 24V glass base W5W**

2er Set, 4 x SMD LED W3W/W5W, mit elektronischen Spannungsregler 20-30V. Nur für Export - innerhalb der EU nicht zulässig! Vor dem Starten des Fahrzeugs bitte die Beleuchtung ausschalten - Überspannungsgefahr!

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010

version	article nr.
blue	2560933024280.B



### Fortsetzung von SMD LED position light 24V glass base W5W

2er Set, 4 x SMD LED W3W/W5W, mit elektronischen Spannungsregler 20-30V. Nur für Export - innerhalb der EU nicht zulässig! Vor dem Starten des Fahrzeugs bitte die Beleuchtung ausschalten - Überspannungsgefahr!

version	article nr.
red	2560933024281.R
green	2560933024282.GR
xenon-white	2560933024283.XW
yellow	2560933024284.GB

### SMD LED bulb 24V bayonet BA9

2 piece set, with 5 power SMD LEDs, with electronic voltage regulator 24-33V. Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!

**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
yellow	2560933024310.GB
xenon-white	2560933024310.XW

### SMD LED bulb 24V bayonet BA15

with 5 power SMD LEDs, with electronic voltage regulator 24-33V, 2 piece set. Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!

**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
yellow	2560933024320.GB
xenon-white	2560933024320.XW

### SMD LED bulb 24V bajonet BA15S

warm-white with 7 power SMD LEDs - with electronic voltage regulator, only for export - not appropriate for EU! Before starting the vehicle ask the lighting switch off - overvoltage danger!!!!

**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
warm-white 7 LEDs	2560933024333.WW

**SMD LED bulb 24V bayonet BA9 (xenon-white)**

with 1 SMD LED, with electronic voltage regulator 24-32V. 2 piece set. Only for export - not allowed within the EU! Before starting the vehicle turn the lights off - surge danger!

**weight (kg):** 0

version	article nr.
	2560933024900.XW

**LED module 24V yellow**

to change the position light from white into yellow for Volvo FH version 4 - 1 set consists of 2 pieces for 1 truck

**weight (kg):** 0,06

**customs tariff nr.:** 85414010

version	article nr.
	2560933011011.GB

**LED module 24V blue**

to change the position light from white into blue for Volvo FH & FM version 3. 2 pieces are necessary for 1 truck

**weight (kg):** 0,06

**customs tariff nr.:** 85414010

version	article nr.
	2560933011010.B

**LED module 24V yellow**

to change the position light from white into yellow for Volvo FH & FM version 3. 2 pieces are necessary for 1 truck

**weight (kg):** 0,06

**customs tariff nr.:** 85414010

version	article nr.
	2560933011010.GB

## LED module for Volvo headlamps

### LED module 24V green

to change the position light from white into green for Volvo FH & FM version 3.  
2 pieces are necessary for 1 truck

**weight (kg):** 0,06  
**customs tariff nr.:** 85414010



version	article nr.
	2560933011010.GR

### LED module 24V red

to change the position light from white into red for Volvo FH & FM version 3. 2  
pieces are necessary for 1 truck

**weight (kg):** 0,06  
**customs tariff nr.:** 85414010



version	article nr.
	2560933011010.R

### LED module 24V xenon white

to change the position light from white into xenon white for Volvo FH & FM  
version 3. 2 pieces are necessary for 1 truck

**weight (kg):** 0,06  
**customs tariff nr.:** 85414010



version	article nr.
	2560933011010.XW

## LED module for Hella headlamps

### LED diode 24V blue

for the colour change of the Hella Celisrings from white into blue. 2 pieces must  
be ordered for one lamp

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010



version	article nr.
	2560933011000.B

### LED diode 24V yellow



for the colour change of the Hella Celisrings from white into yellow. 2 pieces must be ordered for one lamp

**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
	2560933011000.GB

### LED diode 24V green



for the colour change of the Hella Celisrings from white into green. 2 pieces must be ordered for one lamp

**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
	2560933011000.GR

### LED diode 24V red



for the colour change of the Hella Celisrings from white into red. 2 pieces must be ordered for one lamp

**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
	2560933011000.R

### LED diode 24V xenon-white



for the replacement of the Hella Celisrings. 2 pieces must be ordered for one lamp

**weight (kg):** 0,06  
**customs tariff nr.:** 85414010

version	article nr.
	2560933011000.XW

### LED insert 9~33V blue

for the colour change of the Hella Rallye 3003 chrome headlamp with a line of 6 LEDs 1F8 009 797-431 from white into blue

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010



version	article nr.
	2560933011001.B

### LED insert 9~33V yellow

for the colour change of the Hella Rallye 3003 chrome headlamp with a line of 6 LEDs 1F8 009 797-431 from white into yellow

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010



version	article nr.
	2560933011001.GB

### LED insert 9~33V green

for the colour change of the Hella Rallye 3003 chrome headlamp with a line of 6 LEDs 1F8 009 797-431 from white into green

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010



version	article nr.
	2560933011001.GR

### LED insert 9~33V red

for the colour change of the Hella Rallye 3003 chrome headlamp with a line of 6 LEDs 1F8 009 797-431 from white into red

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010



version	article nr.
	2560933011001.R

### LED insert 9~33V xenon-white



for the colour change of the Hella Rallye 3003 chrome headlamp with a line of 6 LEDs 1F8 009 797-431 from white into xenon-white

**weight (kg):** 0,01  
**customs tariff nr.:** 85414010

version	article nr.
	2560933011001.XW

### LED stripes

#### LED-Flexistripe, with blue LEDs



incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
15 LEDs 30 cm	256093302500-30.B
30 LEDs 60 cm	256093302500-60.B
45 LEDs 90 cm	256093302500-90.B
60 LEDs 120 cm	256093302500-120.B

#### LED-Flexistripe, with yellow LEDs



incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
15 LEDs 30 cm	256093302500-30.GB
30 LEDs 60 cm	256093302500-60.GB
45 LEDs 90 cm	256093302500-90.GB
60 LEDs 120 cm	256093302500-120.GB

### LED-Flexistripe, with green LEDs

incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0,02  
**customs tariff nr.:** 85414010



version	article nr.
15 LEDs 30 cm	256093302500-30.GR
30 LEDs 60 cm	256093302500-60.GR
45 LEDs 90 cm	256093302500-90.GR
60 LEDs 120 cm	256093302500-120.GR

### LED-Flexistrips with orange LEDs

incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0,29  
**customs tariff nr.:** 85414010



version	article nr.
15 LEDs 30 cm	256093302500-30.O
30 LEDs 60 cm	256093302500-60.O
45 LEDs 90 cm	256093302500-90.O
60 LEDs 120 cm	256093302500-120.O

### LED-Flexistripe, with red LEDs

incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0,02  
**customs tariff nr.:** 85414010



version	article nr.
15 LEDs 30 cm	256093302500-30.R
30 LEDs 60 cm	256093302500-60.R
45 LEDs 90 cm	256093302500-90.R
60 LEDs 120 cm	256093302500-120.R

### LED-Flexistripe, with white LEDs



incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
15 LEDs 30 cm	256093302500-30.W
30 LEDs 60 cm	256093302500-60.W
45 LEDs 90 cm	256093302500-90.W
60 LEDs 120 cm	256093302500-120.W

### LED-Flexistrips, with xenon-white LEDs



incl. 2 m cable, H10 mm, 2 mm thickness, 24V, assembly with 3M tape, protected against stain, can be used for in- or outside. The lighting is not permitted according to road traffic regulation!

**size:** L30 cm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
15 LEDs 30 cm	256093302500-30.XW
30 LEDs 60 cm	256093302500-60.XW
45 LEDs 90 cm	256093302500-90.XW
60 LEDs 120 cm	256093302500-120.XW

### LED light stripe 30 cm, flexible, with 16 xenon white



LEDs, including 2 m cable & ballast, H10 mm, thickness 2mm, 24V-36V, with 3M mounting tape, using for in- or outside (with contamination protection). The lighting is not permitted according to Road Traffic Regulation

**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
	256093302550-30.XW



**Hella LED marker light white with 5000 mm cable**

with 1 white LED, e.g. for bars made by Kelsa, 12/24V, W80 x H25 x D20 mm, Hella no. 2PF 959 590-217

**size:** B80 x H25 x T20 mm  
**weight (kg):** 0,06  
**customs tariff nr.:** 85122000  
**EAN:** 4082300303643



article nr.
25609131052W

**Hella LED marker light red with 5000mm cable**

with 2 red LEDs, clear glass, e.g. for bars made by Kelsa, ADR, 12/24V, W80 x H25 x D20 mm. The lights are not certified by German Road Traffic Laws! Hella no. 2XA 959 790-418

**size:** B80 x H25 x T20 mm  
**weight (kg):** 0,14  
**customs tariff nr.:** 85414010  
**EAN:** 4082300238556



article nr.
25609131052R

**Hella LED marker light orange (amber)**

with 2450 mm cable e.g. for bars made by Kelsa. W80 x H25 x D20 mm. The lights are not certified by German Road Traffic Laws! Hella no. 2XS 959 650-001

**size:** B80 x H25 x T20 mm  
**weight (kg):** 0,08  
**customs tariff nr.:** 85414010



article nr.
25609131052-O

**Hella LED marker light blue with 120 mm cable**

with 2 blue LEDs, clear glass, 12/24V, e.g. for bars made by Kelsa. The lights are not certified by German Road Traffic Laws! Hella no. 2XT 959 510-657

**size:** B80 x H25 x T20 mm  
**weight (kg):** 0,02  
**customs tariff nr.:** 85414010  
**EAN:** 4082300229141



article nr.
25609131052B

### Hella LED marker light green with 120 mm cable



with 2 green LEDs, 12/24V, e.g. for bars made by Kelsa. W80 x H25 x D20 mm. The lights are not certified by German Road Traffic Laws! Hella no. 2XT 959 510-151

**size:** B80 x H25 x T20 mm  
**weight (kg):** 0,02  
**customs tariff nr.:** 85414010

version	article nr.
	25609131052G

### LED limiting light classic 5 LEDs



24V, marker lamp, hole spacing 90 mm, 5 m cable

**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
amber (orange)	25609131063-A
red	25609131063-R
white	25609131063-W

### Gylle LED position lamp



Ø50 mm (glass)

**size:** 50/80 mm  
**weight (kg):** 0,05  
**customs tariff nr.:** 85122000

version	article nr.
red/white	256010001WR
red/amber	256010001OR

### Gylle LED position light short



12/24V, Ø70/110 mm, with 6 diodes on each side, glass made of impact resistant macrolon

**size:** Ø70/110 mm  
**weight (kg):** 0,58  
**customs tariff nr.:** 85122000

version	article nr.
amber/amber	256010001KOO
red/amber	256010001KOR
red/white	256010001KWR

### Gylle LED position light short clear glass



12/24V, Ø70/110 mm, with 6 diodes on each side, glass made of impact resistant macrolon

**size:** Ø70/110 mm  
**weight (kg):** 0,05  
**customs tariff nr.:** 85122000



version	article nr.
amber/amber	256010001KOO-C
red/amber	256010001KOR-C
red/white	256010001KWR-C

### Gylle LED position light long



L195 mm, curved, 12/24V, Ø70 mm, with 6 diodes on each side, glass made of impact resistant macrolon

**size:** L195 x Ø70/110 mm  
**weight (kg):** 0,8  
**customs tariff nr.:** 85122000



version	article nr.
red/white	256010001LWR
red/amber	256010001LOR
amber/amber	256010001LOO

### Gylle LED position light long clear glass



L195 mm, curved, 12/24V, Ø70 mm, with 6 diodes on each side, glass made of impact resistant macrolon

**size:** L195 x Ø70/110 mm  
**weight (kg):** 0,8  
**customs tariff nr.:** 85122000



version	article nr.
red/white	256010001LWR-C
amber/amber	256010001LOO-C
red/amber	256010001LOR-C

## Gylle LED position light replacement



12/24V with 5 m cable, 6 diodes, Ø70 mm, glass made of impact resistant macrolon, E-marked

**size:** Ø70 mm  
**weight (kg):** 0,26  
**customs tariff nr.:** 85129090

version	article nr.
white (clear glass)	256010001KW
red	256010001KR
red (clear glass)	256010001KRC
amber (orange)	256010001KO
amber (clear glass)	256010001KOC

## LED universal lamp grey with 3 LEDs



incl. 1 m cable, 12-30V, for assembly in- or outside (waterproof), L60 x H40 x D14 mm

**size:** L60 x H40 x T14 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
blue	256093302510G.B
yellow	256093302510G.GB
green	256093302510G.GR
red	256093302510G.R
white	256093302510G.W
xenon-white	256093302510G.XW

## LED universal lamp black with 3 LEDs



incl. 1 m cable, 12-30V, for assembly in- or outside (waterproof), L60 x H40 x D14 mm

**size:** L60 x H40 x T14 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
blue	256093302510S.B
yellow	256093302510S.GB
green	256093302510S.GR
red	256093302510S.R
white	256093302510S.W
xenon-white	256093302510S.XW

### LED universal lamp grey with 3 LEDs

incl. 5 m cable, 12-30V, for assembly in- or outside (waterproof), L60 x H40 x D14 mm

**size:** L60 x H40 x T14mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
blue	256093302511G.B
yellow	256093302511G.GB
green	256093302511G.GR
red	256093302511G.R
white	256093302511G.W
xenon-white	256093302511G.XW

### LED universal lamp black with 3 LEDs

incl. 5 m cable, 12-30V, for assembly in- or outside (waterproof), L60 x H40 x D14 mm

**size:** L60 x H40 x T14 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
blue	256093302511S.B
yellow	256093302511S.GB
green	256093302511S.GR
red	256093302511S.R
white	256093302511S.W
xenon-white	256093302511S.XW

### LED universal lamp grey with 3 LEDs

in 2 different luminosities, incl. 1 m cable, 10-30V, for assembly in- or outside (waterproof), L60 x H24 x T14 mm

**size:** L60 x H24 x T14 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
red	256093302513G.R
yellow	256093302513G.GB

**LED universal lamp black housing with 6 LEDs yellow/red**

3 yellow LEDs (indicator) & 3 red LEDs (break light), incl. 5 m cable, 10-30V, for assembly in- or outside (waterproof), L60 x H24 x D14 mm

**size:** L60 x H24 x T14 mm

**weight (kg):** 0

**customs tariff nr.:** 85414010

version	article nr.
	256093302516S.RG

**LED universal lamp black housing with 6 red LEDs**

rear light 20% or break light 100%, incl. 1 m cable, 10-30V, for assembly in- or outside (waterproof), L60 x H24 x T14 mm

**size:** L60 x H24 x T14

**weight (kg):** 0

**customs tariff nr.:** 85414010

version	article nr.
	256093302515S.R

**LED universal lamp black housing with 6 LEDs yellow/red**

3 yellow LEDs (indicator) & 3 red LEDs (break light), incl. 1 m cable, 10-30V, for assembly in- or outside (waterproof), L60 x H24 x D14 mm

**size:** L60 x H24 x T14mm

**weight (kg):** 0,04

**customs tariff nr.:** 85414010

version	article nr.
	256093302515S.RG

**LED universal lamp black housing with 6 red LEDs**

3 LEDs (rear light 20%) or 6 LEDs (break light 100%), incl. 1 m cable, 10-30V, for assembly in- or outside (waterproof), L60 x H24 x D14 mm

**size:** L60 x H24 x T14 mm

**weight (kg):** 0

**customs tariff nr.:** 85414010

version	article nr.
	256093302515S.RR

**LED universal lamp black housing with 6 LEDs yellow/white**

3 yellow LEDs (indicator) & 3 white LEDs, incl. 1 m cable, 10-30V, for assembly in- or outside (waterproof), L60 x H24 x T14 mm

**size:** L60 x H24 x T14 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
	256093302515S.WG

**LED worklamp mini**

short distance, 1 power LED oval, 0,5 m cable, 10-30 Volt, 900 Lumens, 10 Watt, IP67

**size:** 66 x 66 x 66 mm mit Fuß 90 mm  
**weight (kg):** 0,4  
**customs tariff nr.:** 85122000



version	article nr.
	256093300030

**LED worklamp**

with 5 power LEDs 3 watt, 0,5 m cable, 10-30 volt, 900 lumens, 15 watt, IP67

**size:** B110 x H110 x T40 mm  
**weight (kg):** 0,66  
**customs tariff nr.:** 85122000



version	article nr.
	256093300031

**LED worklamp**

with 9 power LEDs 3 watt, 0,5 m cable, 10-30 volt, 1610 lumens, 27 watt, IP67

**size:** B110 x H128 x T56 mm  
**weight (kg):** 0,82  
**customs tariff nr.:** 85122000



version	article nr.
	256093300032

**LED working light with 6 power LEDs**

10-30 volt, 1080 lumens, 18 watt, 3 watt per LED, IP67, 0,5 m cable

**size:** B115 x H115 x T40 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000

version	article nr.
	256093300033

**LED working light with 16 power LEDs**

10-30 volt, 2880 lumens, 48 watt, 3 watt per LED, 6000K, IP67, 0,5 m cable

**size:** B115 x H115 x T72 mm  
**weight (kg):** 1  
**customs tariff nr.:** 85122000

version	article nr.
	256093300034

**LED working light with 9 power LEDs**

10-30 volt, 8100 lumens, 90 watt, 10 watt per LED, 6000K, IP68, 0,5m cable

**size:** B135 x H160 x T124 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85122000

version	article nr.
	256093300035

**LED working light with 6 power LEDs**

10-30 volt, 2600 lumens, 30 watt, 5 watt per LED, 6000K, IP67, 0,5 m cable

**size:** B155 x H140 x T64 mm  
**weight (kg):** 1  
**customs tariff nr.:** 85122000

version	article nr.
	256093300036



### LED working/reversing light with 9 power LEDs

10-30 volt, 15 watt, IP66, 2,5 m cable

**size:** B101 x H101 x T77,5 mm  
**weight (kg):** 0,7  
**customs tariff nr.:** 85122000



version	article nr.
	256093300037

### LED reversing light with 4 power LEDs

10-30 volt, 1000 lumens, 16 watt, 6000K, IP67

**size:** B83 x H89 x T80,2 mm  
**weight (kg):** 0,8  
**customs tariff nr.:** 85122000



version	article nr.
	256093300038

### LED working light mini with 5 power LEDs

10-30 volt, 1200 lumens, 15 watt, 3 watt per LED, IP67, 0,4 m cable

**size:** B85 x H85 x T40 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85122000



version	article nr.
	256093300039

### Hella worklight Mega Beam LED Spotlight



with 4 LEDs, light output 600 lumens, matt black aluminum case with blue inlets, with swivel base for standing mounting, including 2 m cable, 12/24V, W110 x H120 x D20 mm, Hella no. 1GM 996 136 -191

**size:** B110 x H120 x T20 mm  
**weight (kg):** 0,9  
**customs tariff nr.:** 85122000  
**EAN:** 9002920139458

article nr.
-------------

25609330009-M1
----------------

### Hella worklight Modul 70 LED Gen III



with 4 LEDs, 800 lumens brightness, matt black coated aluminum housing with swivel base for standing mounting, 4-way reflector, 2 m cable, 12/24V, 13W, Ø83 mm, Hella no. 1G0 996 276-451

**size:** Ø83 mm  
**weight (kg):** 0,5  
**customs tariff nr.:** 85122000  
**EAN:** 9002920147484

article nr.
-------------

256093300091
--------------

### Hella worklight Power Beam 1000 LED



with 6 powerful LEDs, light output 850 lumens, 18 W, matt black aluminum housing with swivel base, without vibration damping, for standing or hanging mounting, protection IP6K7 and IP6K9K, ADR, 12/24V, W112 x H129 x D62 mm, Hella no. 1GA 996 188-001

**size:** B112 x H129 x T62 mm  
**weight (kg):** 0,6  
**customs tariff nr.:** 85122000  
**EAN:** 9002920141932

article nr.
-------------

256093300092
--------------

### Hella worklight Power Beam 2000 LED



with 16 powerful LEDs, light output 2200 lumens, 43 W, matt black aluminum housing with swivel base, without vibration damping, for hanging mounting, protection IP6K7 and IP6K9K, 12/24V, W114,5 x H107,6 x D109,9 mm, Hella no. 1GA 996 189-031

**size:** B114,5 x H107,6 x T109,9 mm  
**weight (kg):** 0,9  
**customs tariff nr.:** 85122000  
**EAN:** 9002920145503



article nr.
256093300093

### Gylle LED rear & brake light clear glass



10-30V, with 3,5m cable, 69 LEDs, 130x110x25mm, E-marked, waterproof, mounted with 2 screws (not included)

**weight (kg):** 0,05



version	article nr.
	256011001

### Gylle LED rear-, brake & indicator light clear glass



10-30V, with 3,5 m cable, 69 LEDs, 130x110x25mm, E-marked, waterproof, mounted with 2 screws (not included)

**weight (kg):** 0,05



version	article nr.
	256011002

### LED tail lamp rectangular for recessed mounting

24V, ECE approved, 2,5 m cable, UV protection, ideal for mounting on rear bumpers, rubber seal or housing must be ordered separately

**size:** B110 x H130 x T45 mm  
**weight (kg):** 0,4  
**customs tariff nr.:** 85122000



version	article nr.
clear lens, tail light	25609320111
clear lens, tail- and brake light	25609320112

### Fortsetzung von LED tail lamp rectangular for recessed mounting



24V, ECE approved, 2,5 m cable, UV protection, ideal for mounting on rear bumpers, rubber seal or housing must be ordered separately

version	article nr.
clear lens, indicator light	25609320113
clear lens, rear fog light	25609320114
clear lens, reversing light	25609320115
clear lens, tail, brake and indicator light	25609320116
clear lens, warnung light flashing	25609320117
red lens, tail light	25609320101
red lens, tail- and brake light	25609320102
orange lens, indicator light	25609320103
red lens, rear fog light	25609320104

### Rubber housing single for LED tail light



black, incl. 2 screws that fixed the rear light, rear hole spacing 45 mm

**size:** B130 x 157 x T72 mm  
**weight (kg):** 0,9  
**customs tariff nr.:** 85129090

article nr.

25609320121

### Rubber housing double for LED tail light



black, incl. 4 screws that fixed the rear light, rear hole spacing 153 mm

**size:** B257 x 155 x T72 mm  
**weight (kg):** 1,8  
**customs tariff nr.:** 85129090

article nr.

25609320122

### Rubber seal single for LED tail light



black, alternative to rubber housing

**size:** B114 x 139 x T8 mm  
**weight (kg):** 0,1  
**customs tariff nr.:** 85129090

article nr.

25609320123

## Hella Luminator LED headlamp



with high power LED for driving light and LED positionlight in Kartoval® - optic, black aluminium housing with chrome frame, Ref. 40, 12/24V, Hella no. 1F8 011 002-001

**size:** Ø222 mm  
**weight (kg):** 2,8  
**customs tariff nr.:** 85122000  
**EAN:** 4082300291322



article nr.
25609330002.8

## Hella Luminator chromium LED, Ref. 25



headlamp with a line of 6 LEDs, chrome housing, clear glass with LED position light, without bulb (H1), 12/24V, Hella no. 1F8 007 560-451

**size:** Ø222,4 mm  
**weight (kg):** 2,6  
**customs tariff nr.:** 85122000  
**EAN:** 4082300287783



article nr.
25609330002.NL

## Hella Luminator chromium Celis® Ref. 17,5



headlamp clear glass with integrated Celis® lighting technology (LED parking light ring), chrome housing, without bulb (H1), 12/24V, Hella no. 1F8 007 560-211

**size:** Ø222,4 mm  
**weight (kg):** 2,94  
**customs tariff nr.:** 85122000  
**EAN:** 4082300176032



article nr.
25609239999

## Hella Luminator metal CELIS, Ref. 17,5



headlight clear glass with integrated CELIS lighting technology (LED parking light ring) black housing, without bulb (H1), 12/24V, Hella no. 1F8 007 560-201

**size:** Ø222,4 mm  
**weight (kg):** 2,8  
**customs tariff nr.:** 85122000  
**EAN:** 4082300176025



article nr.
25609239998

**Hella Rallye 3003 Celis®**, Klarglas, Ref. 17,5

headlamp with integrated Celis® lighting technology (LED parking light ring), black plastic housing with design chrome frame, without bulb (H1 24V 70W), 12/24V, Ø222 mm, Hella no. 1F8 009 797-451

**size:** Ø222 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300332711

article nr.

25609330006.CC

**Hella Rallye 3003 clear LED**, Ref. 25

headlamp with a line of 6 LEDs, clear glass, black plastic housing with silver-grey design frame, with LED position light, without bulb (H1 24V 70W), 12/24V, Ø222 mm, Hella no. 1F8 009 797-421

**size:** Ø222 mm  
**weight (kg):** 1,35  
**customs tariff nr.:** 85122000  
**EAN:** 4082300287899

article nr.

25609330006.AL

**Hella Rallye 3000 Celis®**, clear glas, Ref. 17,5

headlamp with integrated Celis® lighting technology (LED parking light ring), black plastic housing with silvergrey frame, without bulb, 12/24V, Ø224 mm, Hella no. 1F8 006 800-401

**size:** Ø224 mm  
**weight (kg):** 1,5  
**customs tariff nr.:** 85122000  
**EAN:** 4082300204315

article nr.

25609239999.K

**Hella Jumbo 320 LED, Ref. 37,5**

headlamp with LED position light, black plastic housing, clear glass, without bulb (H7), installation upright or hanging, 12/24V, Hella no. 1FE 008 773-081

**size:** B244,8 x H160,7 x T108,5  
**weight (kg):** 1,46  
**customs tariff nr.:** 85122000  
**EAN:** 4082300265071



article nr.
25609330007.5

**Comet FF 450 LED Quattro**

headlamp with 4 LEDs, for assembly, clear glass, square black plastic housing, without bulb (H3), without position light, 12/24V, W161 x H90 x D72 mm

**size:** B161 x H90 x T72 mm  
**weight (kg):** 0



article nr.
25609330051.LED

**LED headlamp, Ref. 17,5 with position light**

10-30V, 60W, (6x 10W cree LEDs), position light 12x 0,2W LEDs, 3200 lumens, IP67, ECE approved, operating temperature -40 - +65 ° C

**size:** Ø223 mm  
**weight (kg):** 1,4  
**customs tariff nr.:** 85122000



article nr.
25609320009

**Hella LED rotating beacon KL 7000 LED F**

light cover & case in yellow, for fixed installation, speed 160 r/min, 10-32 V, X1-standard flash tube, ADR, total current 0.8 A, Hella no. 2RL 011 484-001

**size:** Ø165 x H118,9 mm  
**weight (kg):** 0,65  
**customs tariff nr.:** 85318095  
**EAN:** 4082300330960



article nr.
25609330034.L

**Hella rotating beacon Rotafix LED F**

light cover in yellow, black base, for fixed installation, 10 - 32V operating voltage, noise suppression, power input approx 10W, 24V 0,4 A, & 12V 0,8 A, H124,1 x Ø132 mm, Hella No. 2RL 010 979-001

**size:** H222 x Ø135 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85318095

article nr.

25609330034.12

**Hella LED beacon flat K-LED FO F**

light cover with clear Fresnel lens, 24V, Hella no.2XD 010 311-001

**size:** Ø149,5 x H88 mm  
**weight (kg):** 0,72  
**customs tariff nr.:** 85318095  
**EAN:** 4082300268027

article nr.

25609330034.8

**Hella LED rotating/flashing lamp K-LED 2.0**

operating voltage 10-32V, power input max 30W, inverse-polarity protection, automatic brightness control, via switch selectable warning signal (rotating or flashing), no moving parts, extremely flat, ADR approved, Hella Nr. 2XD 011 557-101

**size:** Ø169,3 x H87,6 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85318095

article nr.

25609330067

**Hella LED rotating/flashing lamp K-LED 2.0**

magnetic mounting, operating voltage 10-32V, power input max 30W, inverse-polarity protection, automatic brightness control, via switch selectable warning signal (rotating or flashing), no moving parts, extremely flat, ADR approved, Hella Nr. 2XD 011 557-301

**size:** Ø169,3 x H87,6 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85318095

article nr.

25609330069



### Switch for Hella K-LED 2.0



operating voltage 24V, black toggle switch with null position, imprinted symbols, to switch between rotating and flashing warning, Hella Nr. 6FH 354 112-261

**size:** B28 x H50 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85318095



version	article nr.
	25609330068

### LED flash warning lamp

clear coloured polycarbonate beacon powered by LED which flashes amber, powered by high intensity LED module, three bolt mounting, without ECE authorization

**weight (kg):** 1,04  
**customs tariff nr.:** 85414010



version	article nr.
	256KB200W

### LED flash warning lamp

polycarbonate beacon powered by LED which flashes amber, powered by high intensity LED module, three bolt mounting

**weight (kg):** 0  
**customs tariff nr.:** 85414010




version	article nr.
	256KB200A

### LED light bar with transparent orange LEDs

15 different light patterns, tested ECE/R65, with mounting hardware & operating unit

**size:** B900 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010



version	article nr.
66 LEDs, 900 mm width	25609330070-900
34 LEDs, 480 mm width	25609330070-480
82 LEDs, 1200 mm width	25609330070-1200
98 LEDs, 1440 mm width	25609330070-1440
130 LEDs, 1920 mm width	25609330070-1920

### Cabin roof LED light sign flat for Mercedes Benz Actros



StreamSpace cab 2 & 3 (narrow), 24V with white LEDs, W1230 x H230 x D10 mm

**size:** B1230 x H230 x T10 mm

**weight (kg):** 6

**customs tariff nr.:** 87082990

article nr.

25501KLS11W

### Cabin roof LED light sign flat for Scania Topline



24V with white LEDs, W1640 x H230 x D10 mm

**size:** B1650 x H230 x T10 mm

**weight (kg):** 6

**customs tariff nr.:** 87082990

article nr.

25502KLS01W

### Cabin roof LED light sign flat and narrow for



Scania Highline, 24V with white LEDs, W1350 x H230 x D10 mm

**size:** B1350 x H230 x T10 mm

**weight (kg):** 8,5

**customs tariff nr.:** 87082990

article nr.

25502KLS02W

### Cabin roof LED light sign flat and wide for



Scania Highline, 24V with white LEDs, W1640 x H230 x D10 mm

**size:** B1640 x H230 x T10 mm

**weight (kg):** 5,4

**customs tariff nr.:** 87082990

article nr.

25502KLS03W

### XL cabin roof LED light sign flat for Scania Topline

24V with white LEDs, W1750 x H315 x D10 mm

**size:** B1750 x H315 x T10 mm  
**weight (kg):** 6  
**customs tariff nr.:** 87082990



article nr.

25502KLS04W

### Roof spoiler LED light sign for Scania

Highline, 24V with white LEDs, W1370 x H310 x D10 mm

**size:** B1370 x H310 x T10 mm  
**weight (kg):** 6  
**customs tariff nr.:** 87082990



article nr.

25502KLS05W

### Cabin roof LED light sign flat for DAF XF105

Super Space Cab, 24V with white LEDs, W1460 x H285 x D10 mm

**size:** B1460 x H285 x T10 mm  
**weight (kg):** 6  
**customs tariff nr.:** 87082990



article nr.

25504KLS01W

### Cabin roof LED light sign flat for DAF XF105

SpaceCab, 24V with white LEDs, W1350 x H230 x D10 mm

**size:** B1350 x H230 x T10 mm  
**weight (kg):** 4  
**customs tariff nr.:** 87082990



article nr.

25504KLS02W

### Cabin roof LED light sign flat for DAF XF95



SuperSpaceCab, 24V with white LEDs, W1250 x H280 x D10 mm

**size:** B1250 x H280 x T10 mm  
**weight (kg):** 8,5  
**customs tariff nr.:** 87082990

article nr.

25504KLS03W

### Cabin roof LED light sign flat for DAF CF



SuperSpaceCab, 24V with white LEDs

**weight (kg):** 8,5  
**customs tariff nr.:** 87082990

article nr.

25504KLS05W

### Cabin roof LED light sign flat for DAF CF

SpaceCab, 24V with white LEDs, W1210 x H295 x D10 mm

**size:** B1210 x H295 x T10 mm  
**weight (kg):** 8,5  
**customs tariff nr.:** 87082990

article nr.

25504KLS06W

### Cabin roof LED light sign flat for DAF LF

24V with white LEDs, W1250 x H225 x D10 mm

**size:** B1250 x H225 x T10 mm  
**weight (kg):** 8,5  
**customs tariff nr.:** 87082990

article nr.

25504KLS07W

### Blue LED toplight for Scania R & 4 series Topline

assembly at the front of Topline roof, 6-pieces with 4 LEDs, quick assembly on trucks with original lighting



**weight (kg):** 0,46  
**customs tariff nr.:** 85414010

version	article nr.
blue	256020001B
yellow	256020001G
white	256020001W

### LED flashing lamp with 3 orange LEDs

12/24V, 3 LEDs per 1W, 11 different light patterns, synchronize capable, IP65, ECE/R65 approved, 0,5 m cable



**size:** B100 x H36 x T40 mm  
**weight (kg):** 0,2  
**customs tariff nr.:** 85414010

version	article nr.
	25609330069A-3

### LED flashing lamp with 4 orange LEDs

12/24V, 4 LEDs per 1W, 18 different light patterns, synchronize capable, IP65, ECE/R65 approved, 0,5 m cable



**size:** B120 x H36 x T40 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
	25609330069A-4

### LED flashing lamp with 3 orange LEDs

12/24V, 3 LEDs per 3W, 12 different light patterns, synchronize capable, IP68, ECE/R65 approved, 0,5 m cable



**size:** B98 x H29 x T41 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
	25609330071A-3

### LED flashing lamp with 4 orange LEDs



12/24V, 4 LEDs per 3W, 19 different light patterns, synchronize capable, IP68, ECE/R65 approved, 0,5 m cable

**size:** B118 x H29 x T41 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010

version	article nr.
	25609330071A-4

### LED flashing lamp with 6 orange LEDs



black housing, 12/24V, L145 x H22 x D44 mm

**size:** L145 x H22 x T44 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010

article nr.	
256093302512B.60	

### LED flashing lamp with 3 orange LEDs



black housing, 12/24V, L100 x H35 x D40 mm, additional frame art. no. 256093302512

**size:** L100 x H35 x T40 mm  
**weight (kg):** 0  
**customs tariff nr.:** 85414010

article nr.	
256093302512S.O	

### Rubber frame black for LED flashing lamp



art. no. 256093302512S

**weight (kg):** 0  
**customs tariff nr.:** 85129090

article nr.	
256093302512	

### LED strobe light with rubber plate

e.g. for the assembly on most Kelsa bars - assembly holder must be ordered separately no. 282K09SMBA (aluminium) or 282K09SMBS (stainless steel)

**weight (kg):** 0  
**customs tariff nr.:** 85414010



article nr.

256K100372

### LED strobe light amber with tough metal body

e.g. for the assembly on Kelsa bars - assembly holder must be ordered separately no. 282K09LBA100 (aluminium) or 282K09LBS100 (stainless steel)

**weight (kg):** 0  
**customs tariff nr.:** 85414010



article nr.

256K49704201

### 4 point LED inlet red-white with 0,8 m cable

e.g. for stainless steel position lights or swing position lights

**weight (kg):** 0,2  
**customs tariff nr.:** 85122000



article nr.

25609330017.7-RW

### 4 point LED inlet red-white with 6 m cable

e.g. for stainless steel position lights or swing position lights

**weight (kg):** 0,2  
**customs tariff nr.:** 85122000



article nr.

25609330017.8-RW

### 4 point LED inlet yellow-yellow with 0,8 m cable



e.g. for stainless steel position lights or swing position lights

**weight (kg):** 0,2  
**customs tariff nr.:** 85122000

article nr.

25609330017.9-GG

### Scania LED position light white for Scania sun visor



with 4 LEDs in a row, 24V, fits for Scania R & 4 series, W180 x H43x D30 mm, additional connector and wiring art. no.: 256021002K

**size:** B180 x H43 x T30 mm  
**weight (kg):** 0,05  
**customs tariff nr.:** 85122000

article nr.

256021002.W

### LED position light amber for Scania sun visor



with 4 LEDs in a row, 24V, fits for Scania R & 4 series, W180 x H43x D30 mm, additional connector and wiring art. no.: 256021002K

**size:** B180 x H43 x T30 mm  
**weight (kg):** 0,05  
**customs tariff nr.:** 85122000

article nr.

256021002.G

### Connector and wiring for LED position light



for Scania sun visor 256021002.W & 256021002.G with compact plug, 2-pole, with 0,3 m cable

**weight (kg):** 0,05  
**customs tariff nr.:** 85122000

article nr.

256021002.K