

Around the globe at home
with MARLEN accessoires



EXCLUSIVE * EINBAUMÖBEL * FÜR * IHREN * LKW
MARLEN
Truck - Styling

Changes in the execution we reserve the right ourselves with all articles!
We are not liable for possible misprint and mistakes

Edition
10/2009

DVD - TV + SAT-SYSTEMS

That sets the **TRUCKERS HEART** beating faster



Widescreen TFT TV-Monitor with DVB-T

Widescreen TFT TV-Monitor with DVB-T - with analog and digital TV-Tuner (DVB-T), TV-aerial in the delivery contents, selected LCD-Panel without pixel errors (100% guaranteed), HDMI- connector, incl. earplug and 2,5m long wire, loud speaker 2x3W, resolution 1280x800, power input 35W, 12V & 220V, measurements 394x320x120/72mm, weight 3,2 kg

15" Art. Nr. 251090190000

Widescreen TFT TV-Monitor with DVB-T and DVD

DVD plays MP3, MPG2/4, DiVX, XVID and AVI-dimensions. 3,8kg.

15" Art. Nr. 251090190000-DVD

Widescreen TFT TV-Monitor with DVB-T - with analog and digital TV-Tuner (DVB-T), TV-aerial in the delivery contents, selected LCD-Panel without pixel errors (100% guaranteed), HDMI- connector, incl. earplug and 2,5m long wire, loud speaker 2x3W, resolution 1440x900, power input 37W, 12V & 220V, measurements 420x334x120/72mm, weight 4,6 kg.

17" Art. Nr. 251090190001

Widescreen TFT TV-Monitor with DVB-T and DVD

DVD plays MP3, MPG2/4, DiVX, XVID and AVI-dimensions.

17" Art. Nr. 251090190001-DVD



Widescreen TFT TV-Monitor with DVB-T and DVD

(without pic.)

TFT/LCD monitor 12"

CM-1210D, colour -TFT LCD/4:3, DVI digital, RGB/RGB, PC-In (analog), Video-In (Chinch), Audio-In (Chinch), Audio-In (PC), remote control, 12V DC/23W, 2,4 kg without foot.

B323 x H252 x T42mm

With Tuner

Art. Nr. 251090200000T

Without Tuner

Art. Nr. 251090200000



Back driving cameras in different versions. If necessary you call us gladly.



Wallhanger for TFT monitor up to 15 kg, with autobalance, inclination function, 3 fulcrums + slope function.

Art. Nr. 251090100007.WH

DVB-T- and digital SAT antenna



Art. Nr. 25209040000



Art. Nr. 25209040000-M



Universal antenna DVB T 6000

actively 20db to the receipt of DVB t + DAB signals, VHF/UHF, integrated amplifier 20 railways, frequency range: VHF 47-230 MHz/UHF 470-870 MHz. Water and UV protected housing. F-screw connection.

Art. Nr. 25209040003

Digital SAT-antenna

with dual polarisation for receipt of the satellites ASTRA, Eutelsat, Hotbird, Sirius, etc..

Frequency range: 10,7 to 12,75 Ghz.

Mass: W475xH259xD74mm, approx. 5,3kg without foot.

With foot

Art. Nr. 25209040000

With mast/window owner

Art. Nr. 25209040000-M

DVB-T - AERIALS - RADIO EQUIPMENT




Pic. 1 - CARO Digital Mobile Satellite-System
 Complete Set for digital TV reception consists of : Digital-Receiver with integrated control logic. All TV + Radio programmes already stored. Turning plant with two specially-strong direct current motors for 24 +12 Volt. Independent lock by vehicle start. Height 13 cm - weight 14 kg. Mirror size Ø50cm.
Art. Nr. 25209030015



Pic. 2 - TV SAT system Starsat HC Digital
 alternatively 12/2230V power pack. With digital Satellite-receiver. Ø 35cm, 10 Koax-cable, suction foot and mast mounting plate, compass. In the sturdy suit-case.
Art. Nr. 25209010005.T



Pic. 3 - DVB-T Tuner Dual antenna television
 12 Volt,makes digital antenna television everywhere available - 2-channel-diversity system, reception range 47MHz - 230MHz (UHF),PAL/NTSC, compatibly, multilingual OSD-menu, 500 program memory places, 16:9 or 4:4, RS232 interface, incl. 2 activ DVB-T antennas, separate IR-Sensor+IR remote maintenance.
 L16,6 x B 12 x H3 cm
Art. Nr. 25209010007.2



Pic. 4 - Omnimax -Rounded - Antenna 12/24V with strengthener
Art. Nr. 25209020001



Pic. 5 - Omnimax-Magnetic foot
Art. Nr. 25209020002



Pic. 6 - CB - radio equipment - Stabo xm 3003
 3 changeable frequency tables:
 80 FM (4W), 12 AM (1W)
 40 FM (4W), 40 AM (1W)
 40 FM (4W) CEPTsimply switch with border crossing.
With module holder
 for DIN-Auto Radio-Stack **Art. Nr. 25409010013.1**
Without module holder **Art. Nr. 25409010013**



Pic. 7 - CB - radio equipment
Stabo xm 3044/modul hold. With module hold for DIN-Auto Radio-Stack 40 FM channels with 4 W& 40 AM channels with 1 W transmitter power
 W116mm x H36mm x D166,5mm
With Module mounting plate **Art. Nr. 25409010012**
Without Module mounting plate **Art. Nr. 25409010000.1**



Pic. 8 - CB - radio equipment Stabo xm 3082
 80 FM channels 4 Watt, 12 AM channels 1 Watt
 W 116 x H 36 x D 166,5mm, 750 Grams.
With module holder
 for Din-Auto Radio-Stack **Art. Nr. 25409010004.1**
Without module holder **Art. Nr. 25409010004**



Pic. 9 - CB - radio equipment - Module mounting plate
 to retrofit for Stabo-Radio equipment for XM 3082, XM3044 and 3200 FM **Art. Nr. 25409010011**



Pic. 10 - CB - Antenna Stabo Carolina
 1/2 Lambda, Length 430mm **Art. Nr. 254091100013**



Pic. 11 - CB - Antenna Magnum DV 27R
 Indiana 1/2 Lamda, Length 1250mm
Art. Nr. 25409110004

COFFEE MACHINES - MICROWAVES - VACCUM CLEANERS



← **"Kirk" - coffee machine** with robust Aluminium housing. Making coffee whilst driving is no problem with this machine.
6 cups - 24V / 500 W - Aluminium housing
 Fuse 30 - 35 A **Art. Nr. 25309010001**



12 cups - 24V/500 W - Aluminium housing
 Fuse 30 - 35 A **Art. Nr. 25309010001.2** →

Also available in 12 Volt/350 Watt format



← **MOBITHERM Coffee machine 6 cups**
 24V 380 W - Aluminium housing thermous flask Fuse 30 - 35 Amp. (Measurement 270 x 232 x 170 mm)
Art. Nr. 25309010000



MOBITHERM Coffee machine de Luxe
 8 cups - 24V 360 W - 15 A. Measurement 285x320x100mm, black with insulated jug
Art. Nr. 25309010003




MOBITHERM - Coffee-Maker 5 cups
 black/silver with glass jug, warming plate with thermostat and over heating protection - 24 V 360 W - 15 A.
 Measurement 210 x 260 x 140 mm
Art.Nr. 25309010006

→ **MOBITHERM Kettle - de Luxe**
 24Volt, 750ml with wall bracket.
Art. Nr. 25309010005



Samsung Microwave 24 V - 20 Litre.
 With rotation plate, automatic programming, Inner light connection 24V. Power consumption 950 Watt, Microwave able capacity 500 Watt, current consumption 24V 40A, main fuse 32V DC 70A, battery cap. 45Ah., colour white, weight approx. 17,5 kg.
 W 530 x H 283 x D 362mm. **Art. Nr. 25309030001.2**

Samsung Microwave 24V, 17 L. Connection voltage 24V-DC, power input 31A., power consumption 750W-2.450MHz, main fuse 32V, direct current 80A, Battery cap. 45Ah by 24V, 4 power settings 500W, 350W, 250W, defrost, with revolving plate.
 W465 x H247 x D347mm **Art. Nr. 25309030001.4**



← **Vaccum cleaner Vacuboy**
 24V DC/ 230 Volt reversible, 3 level Turbine, 24 V 190 Watt, 230Volt 260 Watt.
 Vaccum cleaner with comprehensive accessories (6-piece)
Art. Nr. 25509000011.3

→ **Vacuum with extensive accessories**
 strong suction power, out-washable dust bag, various nozzle essays, in a robust plastic case, 10-parts.
Art. Nr. 25509000015

Connection kit for vaccum-cleaner
Art. Nr. 25509000015.1



SAFETY SYSTEMS



Magic Safe Auto alarm system
Monitoring of doors and flaps of the vehicle, also interior monitoring with ultrasonic sensors possible, Assembly in the interior, activate + deactivate via radio remote control, alert by vehicle horn + hazard warning lights
Art.-Nr. 25509030001



Radio motion-register for Magic Safe Auto alarm system. Additional sensor, mountable without any cables so trouble free div. things can supervised. Supply with radio transmitter. Functions only with Magic safe. **Art.-Nr. 25509030002**



G.A.S Plug -detects benumbing gases, Propanum, Butanum, burglary alarm modus, permanent sensor self-test, temperature compensation e1, special licence, voltage supply: 12/24VDC, current reception: approx. 70mA, sensitivity: from 50ppm, sound-proofing: approx. 93dB (int. siren), temperature: from -10°C to +80°C, weight: approx. 50g.
Art.-Nr. 25509030004-N



Power inverter 12V to 230 V / 150Watt
L130mm x W42mm x H70mm
Bypass-/overload protection and thermic overload disconnection. particularly suitable for Laptop operation.
Art. Nr. 25509000112.2



Gas register MagicSafe 12V -reacts to all usual anesthetic gases on basis of ether, Chloroform, Butane, Ethan or Trichlorethen, acoustic & optical indicator in the case of emergency, integrated 10 A contactor, simple assembly, temperature-independent
Art.-Nr. 25509030005

Power inverter 24V to 230 V / 500Watt
W105mm x H57mm x D225mm
Bypass-/overload protection and thermic overload disconnection. voltage input.22-30V - voltage output. 230V
Art. Nr. 25509000115



NX-4 Safety system -registers Alarm, i.e. by anesthetic gas, smoke, Butane-/Propane gas. A motion alarm is integrated, 144 x 82 x 30 mm. Connection: 12/24 V
Art.-Nr. 25509030000

Power inverter 24V to 230 V / 1000 Watt
W240mm x H87mm x D360mm
Bypass-/overload protection and thermic overload disconnection. voltage input. 22-30V - voltage output. 230V
Art.-Nr. 25509000114



Gloria motor vehicle - 2 kg ABC Fire extinguisher P2G with motor vehicle bracket -permitted DIN EN 3 for burn class A, B, C - capacity 13A, 89B, &. C -tested and refillable- Spraying distance approx 4m. - spraying duration approx. 10 sec. Measurement with holder, H316 x W115 x D160mm. GS-emblem, CE-conform
Art. Nr. 203-001



Fire extinguisher - 6 kg - ABC Fire extinguisher without wall bracket, permitted PN EN 3-6 for the burn class A, B, C , capacity 27A, 183B, u. C - test and refillable, Spraying duration approx. 12sec., H 540mm, Ø 160mm, CE-conform, weight 9.7 kg, extinguishing agent Ogniotex 107, Appliance temperature field -30°C - 60°C, propellant Nitrogen 15 bar
Art. Nr. 203-005

Rubber cover for 6kg fire extinguisher
Art. Nr. 203-007



Fire extinguisher holder box up to 6 kg ABC fire extinguisher high grade paintable Polypropylene, temperature resistant from -40 C - + 80 C.
Ø the fire extinguisher: max 195mm, min. 140mm.
In red with window.
Art. Nr. 203-010



Pic. 1

Pic. 1: Stainless steel-fire extinguisher holder universal for fire extinguisher up to 6kg. Can be mounted to ladder holder. **Art. Nr. 27909FH001**



Pic. 2

Pic. 2: Stainless steel-ladder holder universal 1-part
Art. Nr. 27909LH003



Pic. 3

Pic. 3: Stainless steel-ladder holder universal Mounted to the back of the driver cab.
2-parts
Art. Nr. 27909LH001


IT'S COOOOOOOL



Pic. 1

Pic. 1: 50 l. Compressor fridge with pull out basket, 12/24 V. W439 x H400 x D705mm. Power input approx.45W, Thermostat regulator, lockable door, under voltage protection **Art. Nr. 25309020004**

Pic. 2: Compressor coolbox CD-030DC - 30 Litre 12&24V - for Volvo, MAN F2000, MAN TGA, Scania, MB-Actros, Renault Premium, Renault Magnum, DAF, W 440 H 250 D 730 mm. **Art. Nr. 25309020017.1**



Pic. 2

Mounting kit for Scania R Cab for compressor coolbox CD-030DC - Compressor coolbox 35 Litre with clamp lock, fastening bracket **Art. Nr. 25309020017.M**
Universal mounting bracket **Art. Nr.25309020017.2**

Pic. 3: Compressor coolbox C 47 L with drawer and separation grill 12/24V DC 47L, W:430 H:370 D:686 mm, cooling +10 C - 0 C. **Art. Nr. 2530900004**



Pic. 3

Pic. 4: CoolMatic CS-Scania-R Compressor coolbox for Scania R with long cab, 26 Litre Normal cooling, 11 Litre deep-cooling, 12/24V, 45W, Temperature field +10° to -12°, 2 separate drawers, Inner light, Danfoss Compressor, Under voltage protection. **Art. Nr. 25309020026**



Pic. 4

Pic. 5: Compressor coolbox of 44L for Scania R cab 12/24V, w617 x h240x d615 mm, i. e. under Scania R - bed, Danfoss compressor **Art. Nr. 25309020027**



Pic. 5

Pic. 6: Compressor coolbox 35 Litre with clamp lock for i.e. Scania R Series, 12&24V, W 590 x H 250 x D 615mm, compressor mounted sideways! Power input 42 Watt, voltage monitor. **Art. Nr. 25309020016.8**



Pic. 6

Pic. 7: 35 l. Compressor fridge with drawer clamp lock, connection voltage 12 / 24 Styling 42 Watt, under voltage protection, Thermostat regulator. W440 x H250 x D720mm. **Art. Nr. 25309020016.4**
Screen Walnutdesign for 35l fridge. **Art. Nr. 11904KSBL.W**
Universal mounting bracket **Art. Nr. 25309020017.2**



Pic. 7

Pic. 8: Compressor coolbox 27,5 Litre 12/24V, W623 x H225x D589 mm for Volvo cab original drawer under bed, 36,29 Watt 2,8 A, Danfoss Compressor. **Art. Nr. 25309030005**



Pic. 8

Pic. 9: CoolMatic CS-ACT-MP2 Compressor coolbox for MB Actros MP2 L & LH, cab, 25 Litre, Normal cooling, 12/24V, 45W, Temperature field, +10° to -12°, Inner light, Danfoss compressor, Under voltage protection. **Art. Nr. 2530900007**



Pic. 9

Pic. 10: Compressor coolbox 24,5 Litre for MB Actros MP 2Suitable for original drawer 12/24V DC L 2,8 A - 36,29W - with Digital Thermostat, W: 638 H: 210 D: 440 mm Cooling +10 C - -5 C. **Art. Nr. 2530900006**



Pic. 10



Pic. 11

Pic. 11: WAECO Compressor fridge 40 l -24V
With under voltage protection. H505 x W380 x D535mm
Voltage connection. 12 / 24 Volt. Power input 40 Watt
Door decor changeable. Door stop left or right.
Art. Nr. 25309020001



Pic. 12

Pic. 12: Built in compressor fridge 51 Litre
with grill partition and ice compartment, 12/24V DC,
'W:380 H:530 D:500 mm, cooling +10 C - 0 C.
Art. Nr. 2530900005



Pic. 13

Pic. 13: Absorber fridge 60 Litre
12 V / 230 V / gas fuelled, weight approx. 20.5 kg,
'WxHxD 475x640x480mm.
Art. Nr. 25309020002



Pic. 14

Pic. 14: Coolbox Coolmatic CF 18
content 18 l. 12/24V, W 465 x H 415 x D 300mm.
Art. Nr. 25309020014



Pic. 15

Pic. 15: Coolbox Coolmatic CF 35
content 31 l. 12/24V, W340 x H380 x D560mm
Art. Nr. 25309020015



Pic. 16

Pic. 16: Coolmatic FC30 30 Litre
Medium power input 45 Watt, 12-24V,
W:340xH:408xD:585mm.
Art. Nr. 25309020018

Universal mounting kit Art. Nr.25309020018.1
Scania 4 series mounting kit Art-Nr.25309020018.2



Pic. 17

Pic. 17: Coolbox Coolmatic CF 50
content 50 Litre, 12-24V-DC / 110-240V AC,
Temperature field 10° C bis -18° C, Medium power input
45W, W 630 x H 480 x D 360mm, weight approx. 18 kg.
DC & AC connector cable included in delivery,
removable wire basket, mountable carry handles
inner lighting. Art. Nr. 25309020021



Pic. 18

Pic. 18: Coolmatic CF-110
content 106 Ltr. (93L Normal-/ deep-cooling,
13L fresh compartment) with removable basket,
mountable carry handles Inner light, Standing height for
2-Litre-bottles, 65 Watt, 12-24V-DC/110-240V AC,
W:790 H:555 D:500 mm
Art. Nr. 25309020023



Pic. 19

Pic. 19: Coolbox Coolmatic CDF 35 content
31 l. 12/24V, W340 x H380 x D560mm.
Art. Nr. 25309020022



Pic. 20

Pic. 20: Thermo electric coolboxes: Tropicool Classic
content 21 l. , 12-24V, W303 x H420 x D450 mm
cooling up to 30° below ambient temperature, + 5° bis
+ 15° above Thermostat regulation setting, cooling /
warming settings, heating capacity up to 65°,
Standing height for 2L bottles, Power input approx.
75Watt. Art. Nr. 25309020030.1



Pic. 21

Pic. 21: CoolMatic CRP 40 -24V Compressor installation
refrigerator with under-voltage protection, 39L, of it 5,3L
freezing subject, operating voltage 12/24V, capacity 40
Watts, door decoration replaceable. Door stop on the left
of or right. Art. Nr. 25309020044

With shiny shoes on the axels....



Pic. 1



Pic. 2



Pic. 3



Pic. 4



Pic. 5

Pic. 1: Stainless steel front wheelliner wheelcover, 22,5" - assembly with original bolts. Art. Nr. 28309845703

Pic. 2: Jumbo stainless steel wheel covering deep drive wheel Art. Nr. 283097165129

Pic. 3: Stainless steel axle cover with sleeve nuts, without Marlen-Logo.

240mm high for aluminium wheel Art. Nr. 28309HS16502017

170mm medium high f. steel wheel Art. Nr. 28309HS16502021

Further axle cover auf Anfrage on request available.

Pic. 4: Jumbo stainless steel Axle covering (medium height)

for Alu drive wheel Art. Nr. 28309716501016

for steel drive wheel Art. Nr. 28309716501015

Pic. 5: Stainless steel wheel screen in front, supersingle -also suitable for disk-braked semitrailers and supports.

22,5" x 11,75" Art. Nr. 28309845702

Pic. 6: Jumbo stainless steel wheel bolt- cover ring closed Alu/steel front wheel (for sleeve nut) Art. Nr. 283097165015

Pic. 7: Jumbo stainless steel wheel bolt- cover ring open steel/alu front wheel Art. Nr. 2830917165016-N

Pic. 8: Stainless steel wheel cover rear Lock-Ring System Also suitable for mounting to a semi trailer

17,5" Art. Nr. 28309845796

19,5" Art. Nr. 28309845794

22,5" Art. Nr. 28309845792

Pic. 9: Stainless steel wheel cover front Lock-Ring System Outer curved

17,5" Art. Nr. 28309845795

19,5" Art. Nr. 28309845793

22,5" Art. Nr. 28309845791

Pic. 10: Stainless steel wheel cover rear 22.5"

lock ring de luxe (curved outwards)

22,5" Art. Nr. 28309845798

Pic. 11: Stainless steel wheel cover front, lock ring de luxe

(curved outwards) 22.5" Art. Nr. 28309845797

Pic. 12: Stainless steel wheel rim ring for drive wheel - Wheelliner, 22.5" without centre pot, Lockring-System

(Would be wedges) Art. Nr. 28309845822

Pic. 13: Stainless steel wheel nut caps

for sleeve nut Art. Nr. 283097165331

for Standard nuts Art. Nr. 283097165012

wheel nut caps-pincer Art. Nr. 283097165051

Pic. 14: Stainless Steel wheel nut caps also available in the width: A/F 27, A/F 30, A/F 32, A/F 33.

I. e. Art. Nr. 283097165332-27 oder 283097165332-33



Pic. 7



Pic. 9

19,5"



Pic. 11



Pic. 13

Art. Nr. 283097165331



Pic. 13

Wheel nut caps-pincer



Pic. 14

Art. Nr. 283097165332-32




Marlen Logo, approximately, for wheel covers in black, Logo chrome, self adhesive.

Ø 135mm Art. Nr. 2110901

Ø 80mm Art. Nr. 2110902



Pic. 6



Pic. 8

22,5"



Pic. 10



Pic. 12



Stainless steel wheel rim ring for drive wheel wheelliner 22,5" without centre pot, Lockring-System (Would be wedged) Art. Nr. 28309845822

The Marlen-Logo for the wheel covers must be specially ordered!

Night-Fever, Night-Fever, the night turns to day.....



Hella Rallye 3003 clearglass
Main beam headlamp with park light
silver/black plastic housing with blue
light glass- without bulb, Ref 37,5.
Art. Nr. 25609330006.A



Hella Rallye 3003 Blue-Light clearglass
Main beam headlamp with park light
silver/black plastic housing with blue
light glass- without bulb, Ref 37,5.
Art. Nr. 25609330006.B



Hella Rallye 3000 Blue-Light Clear glass
Long range headlight with parking light,
silver plastic housing with blue lens -
without light bulbs, Ref 37,5, 3000 blue
silver clear glass new
Art. Nr. 25609330002.K



**Hella Chrom Luminator Blue-Light
Clear glass optic** -Long range
headlight with parking light chrome
housing with blue lens - without
illuminant, Ref 37,5,
Ø 232,5mm
Art. Nr. 25609330001.K



Hella Rallye 3000 FF Clear glass
Long range headlight newest
illuminating engineering - High -Boost
reflector - black plastic housing with
parking light, without
illuminant! Ref.: 37,5, 3000 white clear
glass new
Art. Nr. 25609330006.K



Hella Chrom Luminator Clear glass
Long range headlight with parking
light chrome housing with clear glass
- without illuminant,
Art. Nr. 25609330002.N



**Main beam headlamp
Luminator Xenon**
(Ref. 37,5), 24V,
Chrome/black.
Art. Nr. 25609330007.C



**Long range headlight Jumbo 320
Xenon**
24 Volt, black housing, incl.
illuminant (D2S Xenon Brenner)
with power supply unit (1m cable
length) with LED parking light !
Art. Nr. 25609330007.2



Hella Chrom Luminator Celis
long range headlight clear glass with
integrated CELIS- light technology
(Parking light ring) Chrome housing.
Without illuminant!
Ø 224mm Art. Nr. 25609239999
**Hella Luminator Compact
Chromium Celis®**
Ø 170mm -Chrome housing-
Art. Nr. 25609320002



Hella Metal Luminator Celis®
long range headlight clear glass with
Integrated CELIS- Light technology
(Parking light ring) **(black housing)**
Ø 224mm Art. Nr. 25609239998
Without illuminant!

- Hella Luminator Compact Chromium Blue
Ø 170mm -Chrome housing- Art. Nr. 25609320001
- Hella Luminator Compact Chromium
Ø 170mm Art. Nr. 25609320000

- Hella Luminator Compact Metal Celis®
Ø 170mm (black housing) Art. Nr. 25609320004
- Hella Luminator Compact Metal
Ø 170mm (black housing) Art. Nr. 25609320003
- (Without pic.) Hella Luminator Compact Metal Xenon, (black
housing), inkl. D1S Xenon-Burner and connecting electronics,
12V, Ø 170mm Art. Nr. 25609320005



**Long range headlight
Hella Jumbo 220 - rectangular**
Chrome-framing, black housing
W242 x H133 x D89mm
Art. Nr. 25609330008



**Long range headlight
Jumbo 220 Blue-Light Chrom-
rectangular**
WxHxD 242x133x89mm (housing)
height with base 166mm
Art. Nr. 25609330008.1



LED running light
i.e. for bracket from Kelsa - forbidden by the
German Road Traffic Licensing Agency.
white Art. Nr. 25609131052W
orange Art. Nr. 25609131052O
red Art. Nr. 25609131052R
green Art. Nr. 25609131052G
blue Art. Nr. 25609131052B



Hella rear light round chrome
Tail light with direction of travel
indicator and brake light, with
chrome edge, Ø 136 mm,
depth: 80 mm
Without illuminant
Art. Nr. 25609330000

to the day, to the day, to the day, to the day, to the day...



Stainless steel long range headlight 2000 - Bluelight
Clear glass with EC MOT approval for H3 Halogen-70 Watt and 5 Watt light bulb parking light 24 Volt
Art. Nr. 25609330003.1



Stainless steel long range headlight 2000 - clear glass
With parking light - EC MOT approval - with H1/24Volt 70 Watt Halogen- Watt and 4 Watt light bulb parking light 24V.
Art. Nr. 25609330003



LED day driving light flat with ever 5 high speed-LEDs per light. Two lights incl. prefabricated professional set of cables and universal holder
W220 x H40 x D50mm. Art. Nr. 25609131082




LED day headlamp square with 3 high-performance LEDs each lamp. Two lights incl. prefabricated professional set of cables and universal holder for flexible assembly. 9-33V/5-11W. 12/24V.
W168,3 x H52,3 x D63,8mm. Art. Nr. 25609131080




LED day headlamp round with 3 high-performance LEDs each lamp. Two lights incl. prefabricated professional set of cables and universal holder for flexible assembly. 9-33V/5-11W. 12/24V.
W90 x H90 x D65,5mm.
Art. Nr. 25609131081



LED rear tail light 24Volt
Ø 140mm, depth 82mm
Art. Nr. 25609330001.A



LED conclusion brake and indicator light 24Volt,
Ø 140mm,depth 82mm
Art. Nr. 25609330001.B



LED fog light 24Volt
Ø 140mm, depth 82mm
Art. Nr. 25609330001.D



LED Pro-Spot end-brake-indicator light
LED-endlight in clear glas design with diamond free shape visor's technology. Ø140mm, depth 67mm, 12-30V.
Art. Nr. 25609330001

LED Pro-Spot rear fog light & back seeing-light (ADR)
LED-light in clear glass with diamond free form reflection's technic. 36 high performance LED's. Light glass in solid PC (Polycarbonat). Ø140mm, depth 67mm, 12-30V. ADR is checked.
ECE R23 / ECE R38 - IP 6K9K.
Art. Nr. 25609330000.FR

(Without pic.)
LED conclusion brake light 24Volt,
Ø 140mm, depth 82mm.
Art. Nr. 25609330001.C

(Without pic.) **Chrome ring f. tail lamp** Ø 140mm, depth 82mm .
e.g. Hella.
Art. Nr. 25609330000.C



Chrome ring
for LED Pro-Spot light
Art. Nr. 25609330000.FC



LED positions light short
Ø 70 mm
white/red Art. Nr. 256010001KWR
orange/red Art. Nr. 256010001KOR



Positions light flexible
white / red / orange
with cable (1,75m) and bulb (4W.)
waterproof, ADR is checked.
Art. Nr. 25609131044



LED positions light long, curved
Ø 70 mm
white/red Art. Nr. 256010001LWR
orange/red Art. Nr. 256010001LOR



LED- flashing light round.
Ø 100 mm.
With side lights function,
yellow.
Art. Nr. 25609131069



Top - roof position beacon for Volvo.
in white Art. Nr. 256031000.W
in orange Art. Nr. 256031000.G



to the day, to the day, to the day.....



Flashing light SKM
24V - H1 - 55W/ H 210 x Ø 160mm
Incl. Illuminant Art. Nr. 25609330030



Flashing light stainless steel base
Ø 170mm Height 70mm i.e. for SKM- flashing light / Hella 7000
Art. Nr. 282097157499.4
Additionally headlight attachments are still needed!!

←Stainless steel bracket for flashing light for roof lamp holder
60mm pipe Art. Nr. 282097157499.1
48mm pipe Art. Nr. 282097157499.3



63er pipe
63er pipe (Aluminium)
60er pipe
48er pipe



Stainless steel - Auxiliary headlight attachment
To mount (also suitable for flashing light bases).
Art.-Nr. 282K09LBS100
Art.-Nr. 282K09LBA100
Art. Nr. 282007157499-N
Art. Nr. 282097157490-48N



Double flash light
yellow, with integrated power electronics for 12V to 24V operating voltage, with three point attachment, form B1, overall height of 160mm.
Ø 155mm Art. Nr. 25609330041



Xenon-flash-light by Hella
24V, yellow, X1-standard-flash pipe, for permanent installation, h:195,7 - Ø 155mm.
Art. Nr. 25609330033



Flashing warning light Pb2000 24V - Ø 150mm
Height 160 mm - A1
Art. Nr. 25609330029



Flashing warning light KL7000F from Hella
24V, yellow, for fixed installation, H:194 Ø 155mm
Rotation speed 160 T/min
Noise suppression: capacityguide class 5 power input light bulb 70W Total power input 3,5A
Art. Nr. 25609330034



Flashing warning light KL7000FL from Hella with flexible pipe connector 24V, yellow, X1-Norm-flash tube, for fixed installation H:240, Ø155mm, rotation speed 160 T/min. Noise suppression: capacity guide class 5 power input light bulb 70W.
Total power input 3,5A
Art. Nr. 25609330034.1



Flashing light bar Evolution Line -24V, 4 Module with free form reflectors, dual voltage, very high light output. Light hood made of shatter proof PC.- Labeling field opal, illuminable. Fastening with 4 stud bolts, incl.35mm rubber pad, complete wiring, incl. light bulbs 4xH. L 1524 x D 210 x H 108mm.
Art.-Nr. 25609330032.3

Top light chrome-shine
Chrome plated plastic housing (with E-Nr.) - 24V R5W. Without bulb and wire.



Glass blue
Art. Nr. 25609330016B



Glass red
Art. Nr. 25609330016R



Glas white
Art. Nr. 25609330016W



Flashing light bar Aerolite 400
24V/70W, with 2 Halogen rotaters, Length 420mm, centre pin with cable feed through. **I.e. for Kelsa BakBars**
Art. Nr. 25609330036




Warning bar Aerolite -24V, with 4 Halogen rotaters, length 1250mm, height, centre piece white, centre piece shines forward in white, and to the rear in red.
Suitable for Kelsa BeaconBars.
Art. Nr. 25609330039



Sweden light- MP Positioning light 1 piece. Pre wired with E-Number with illuminant.
H700xW1400mm
Art. Nr. 25609330005.1



← With white Glass
Art. Nr. 25609330005.2



Side marking light LED W
With elbow connection and PG-fastener - 24V Art. Nr. 25609131046



Side marking light
With stainless steel trim, reflector. -24V Art. Nr. 25609330021



Side marking light LED T with T-piece; connector and PG-fastener. 24 V Art. Nr. 25609131047



Side marking light (assembly), orange. With reflector, 110 x 50 mm - 24V Art. Nr. 25609330018.1

GGVS tauglich

You always keep a cool head in such a way.....

Air conditioning systems from WAECO



Assembly at the driving rear wall

CoolAir Split compressor air conditioning system SP 900

24V DC stationary operation. Power input 12 - 22 A.
Max. refrigerating capacity 900 W. Cooling agent R134a
Working temperature 0 - 43° C
W450 x H475 x D195mm, 16kg.
Art. Nr. 257W09SP900



inside

Suitable mounting systems find you on the page 14



CoolAir roof compressor air conditioning system CA 800

24 V DC stationary operation. Middle power input 12-18 A.
Theoretical cooling capacity 1000 W. Refrigerating capacity 800 W.
Cooling agent R134a. Measurements (WxHxD) 565 x (209-222) x 692 mm,
20 kg. Colour light metallic silver.

Assembly set do not contain!

Art. Nr. 257W09CA800

Mounting sets at present time for CA 800

MAN TGX/TGA (XL, XXL), TGM	Art. Nr. 257W00CA.MS001
Mercedes Actros MP 2 (Megaspace, L-driver cab)	Art. Nr. 257W01CA.MS001
Scania R High- and Topline	Art. Nr. 257W02CA.MS001
Volvo Globetrotter XL (L2H3)	Art. Nr. 257W03CA.MS001
DAF XF 95 Super Space Cab	Art. Nr. 257W04CA.MS001

DAF XF 105

Super Space Cab	Art. Nr. 257W04CA.MS002
Space Cab	Art. Nr. 257W04CA.MS003
Renault Magnum	Art. Nr. 257W05CA.MS001
Renault Premium from model 06	Art. Nr. 257W05CA.MS002
Universal set (Roof hatch available)	Art. Nr. 257W09CA.MS001
Universal set (new opening)	Art. Nr. 257W09CA.MS002

ROADWIND - the system, which accomplishes more than other ones

The air conditioning systems of the Roadwind series, are the correct answer to the most different requirements of the air conditioning of commercial motor vehicle cabs.



Roadwind roof compressor air condition RW 7000T24KD fitted for small sunroofs (only Volvo FH Globetrotter & FM)

24 V DC standing air condition. Simple mouting on the roof - 6 compressor speed performances - 3 air nozzles - 4 ventilation speed levels - safe for under-voltage - On / Off / Sleep Timer function - refrigeration performance 5300 - 7000 BTU/h - cover silver (cover paintable). **No mounting kit included!**
External measurements: W 924 x H 219 x D 825 mm
Internal measurements: 344 x 304 mm

Art. Nr. 257VRW70T24KD

Mounting kit for Volvo FH Globetrotter & FM

Art. Nr. 257VRW33M03

Roadwind roof compressor air condition RW 7000T24 fitted for bigger sunroofs 24 V DC standing air condition. Simple mouting on the roof - 6 compressor speed performances - 4 air nozzles - 4 ventilation speed levels - safe for under-voltage - On / Off / Sleep Timer function - refrigeration performance 5300 - 7000 BTU/h - cover silver (cover paintable).

No mounting kit included!

External measurements: W 924 x H 219 x D 825 mm

Internal measurements: 519 x 388 mm

Art. Nr. 257VRW70T24

Mounting sets for RW 7000T24

Scania 4-er & R-series

Topline, Highline	Art. Nr. 257VRW70M01
Volvo FE, FM & FL, Renault Magnum, Premium & DAF LF	Art. Nr. 257VRW70M02
Volvo FH/FM XL	Art. Nr. 257VRW70M07
DAF CF & XF with electrical sunroof	Art. Nr. 257VRW70M04
Iveco Stralis & Eurocargo (sloping roof)	Art. Nr. 257VRW70M05
Iveco Stralis & Eurocargo (straight roof)	Art. Nr. 257VRW70M09
MAN TGX, TGA, TGM, TGS & TGL manual + electrical sunroof	Art. Nr. 257VRW70M06
Mercedes Actros	Art. Nr. 257VRW70M08

Roadwind RW 3300T for Iveco Stralis



Roadwind roof compressor air condition RW 3300T

24V DC standing air condition, 3 compressor speed performances
 4 ventilation speed levels, 8 air nozzles
 safe for under-voltage, timer function
 Refrigeration performance 2650 - 3250 BTU/h
 middle electricity admission 14 - 18 A
 23kg, w572 x h225 x d705mm, silver
Art. Nr. 257VRW33T24

The assembly sets must be specially ordered!



Inside

Assembly sets for RW 3300T

Scania 4-er & R-series Topline, Highline
 electrical sunroof Art. Nr. 257VRW33M01
 Scania 4-er & R-series Topline, Highline
 manuel sunroof Art. Nr. 257VRW33M01-M
 Volvo FE, FM & FL and
 Renault & DAF LF Art. Nr. 257VRW33M02
Volvo FH Globetrotter & FM Art. Nr. 257VRW33M03

Volvo FH Globetrotter XL Art. Nr. 257VRW33M07
 DAF CF & XF
 electrical sunroof Art. Nr. 257VRW33M04
Iveco Stralis Art. Nr. 257VRW33M05
 MAN TGX, TGA & TGS
 electrical + manuel sunroof Art. Nr. 257VRW33M06
 Mercedes Actros Art. Nr. 257VRW33M08
 Iveco Eurocargo Art. Nr. 257VRW33M09

ROADWIND 1500 for small to medium cabs Art. Nr. 257V-01

Compressor: 1 Compressor Danfoss BD250GH 12/24 Vcc.
 Cooling agent: R134A (without CFC) environmentally friendly.
 Control board: Microprocessor with LCD Display with Retro lighting.
 Infrared remote control. 4 Ventilation openings : air supply adjustable.
 Evaporation unit (WxHxD) 560 x 250 x 110mm. 5 kg
 Condensor unit (WxHxD) 405 x 275 x 190mm. 14 kg

Programme	Function	Consumption	Cooling capacity
1	1 compressor (Hi-Speed)	7,5 A	1500 Btu / h
1A	1 compressor (Low-Speed)	4,8 A	1100 Btu / h



Mount outside

Assembly at the cab rear wall

ROADWIND 3000 for large cabs Art. Nr. 257V-02

Compressor: 2 Compressors Danfoss BD250GH 12/24 Vcc.
 Cooling agent: R134A (without CFC) environmentally friendly.
 Control board: Microprocessor with LCD Display with Retro lighting.
 Infrared remote control. 4 Ventilation openings : air supply adjustable.
 Evaporation unit (WxHxD) 560x250x110mm. 5 kg
 Condensor unit (WxHxD) 555x335x190mm. 18 kg

Programme	Function	Consumption	Cooling capacity
1	1 compressor (Hi-Speed)	7,5 A	1500 Btu / h
1A	1 compressor (Low-Speed)	4,8 A	1100 Btu / h
2	2 compressors (Hi-Speed)	14,5 A	3000 Btu / h
2A	2 compressors (Low-Speed)	9,0 A	2200 Btu / h

Evaporation unit



Assembly inside



Visible in Display:
 - Room temperature
 - Humidity
 - Battery voltage
 - Cutoff Timer (0 / 360 min)
 - Compressor condition (ON/OFF)
 - Ventilation regulation
 - Temperature regulation
 - Economy Function
 - Funktion Safe Battery

Suitable mounting systems find you on page 14

Suitable mounting systems for Roadwind 1500/3000 and WAECO SP 900




Mounting system for **VOLVO Cab** made of stainless steel to assemble on the driving cab rear wall (driver's side) without drilling and with original screws from cab.



Mounting system for **DAF XF** made of stainless steel to assemble on the driving cab rear wall (driver's side) without drilling!
Art. Nr. 257V-08DA



Mounting system for **VOLVO Cab** made of stainless steel to assemble on the driving cab rear wall (driver's side) without drilling and with original screws from cab.
Art. Nr. 257V-10VO.right
Art. Nr. 257V-10VO.left



Mounting system for **SCANIA 4 series & R series Topline & Highline** Made of stainless steel to assemble on the driving cab rear wall (driver's side) without drilling!
Art. Nr. 257V-07SC



Mounting system aircondition for **MAN TGX & TGA XL, XXL** made of stainless steel for **Roadwind & WAECO climate - systems** to assemble on the driving cab rear wall (driver's side) without drilling and with original Screws from cab.
Art. Nr. 257V-09MA



Mounting system for **MB ACTROS MP 2 "Megaspacer"**. Made of stainless steel to assemble on the driving cab rear wall (driver's side) without drilling to original fastening point!
Art. Nr. 257V-11MB

Assembly examples at different vehicles



VOLVO



MAN TGA XXL



MERCEDES MP 2



SCANIA R-Reihe



DAF XF 95

Storage boxes from MarLen



Manufactured from high-quality materials and from a new conceived cover absolutely splash-proof. Break-down protection by a new sealing system and by VA -nuts/ mother countered hinges. Without sharp edges and absolutely vibration-steady through completely welded seams.

Even "Made in Germany"

Our storage boxes can be adapted in form, size and colour (all ral - tones available) to each usual motor vehicle type. Because vehicles are so different, the application type and requirements are as different, against a storage box that is ordered.. Therefore we build your completely individual storage box and when desired e.g. also devices for the installation of a refrigerator, shelves, drawers and inserting soils into your crate for you. **We manufacture all sizes individually according to your desires and in all ral - colours.** For further information we are gladly at your disposal.

Special production storage boxes for everyone the correct one - individually manufactured

We plan and develop together with you your individual storage box and build these according to your measurements and/or separately manufactured particularly for you.



Now there is something for the ears!!



3 tone airhorn - with 16 melodies (adjustable)
24Volt - (355x280x120mm)
Attention forbidden by the German Road Traffic Licensing Agency!!!
Chrome Art. Nr. 284097111120
Red Art. Nr. 284097111120R



Original TGV Doublehorn
Black, with Double magnet valve for automatic changing tones 24 V
Attention forbidden by the German Road Traffic Licensing Agency!!!
Art.Nr. 284097111119



"Hadley Horns" 66 & 73 cm (Chrome plated)
66 cm Art. Nr. 284097111025
73 cm Art. Nr. 284097111024
Solenoid valve, 24V for single or double horn, pressure pipe 6 mm
Art. Nr. 284097111026



Hadley single horn chromium horn, with connection angle, round funnel
Typ DLH 95 - 95 cm Art. Nr. 284097111046
Typ DLH 86 - 86 cm Art. Nr. 284097111047
Typ 855 - 55 cm Art. Nr. 284097111050
Typ 856 - 48 cm Art. Nr. 284097111051
Horn cover cap must be specially ordered.
Art.Nr. 284097111049



"Jumbo" stainless steel air pressure horn (2-Point fastening, membrane removable, 5 year guarantee for corrosion resistance.)
47 cm long Art. Nr. 284097114501
57 cm long Art. Nr. 284097114502
67 cm long Art. Nr. 284097114503
77 cm long Art. Nr. 284097114504
97 cm long Art. Nr. 284097114505
Without horn protection cap!!!!



Magnet valve-Connection set 24V for 2 Horns (synchronised), 8 mm (incl. 5 m compressed air line) Art. Nr. 284097114520
Course valve-connection set for 2 Horns (synchronised), 8 mm (incl. 5 m compressed air line) Art. Nr. 284097114516



Horn protection cap
For JU 47-97 cm
Art. Nr. 284097115014



Airhorn clamps for mounting airhorns on a HiBar 63mm pipe (1 set for 1 airhorn)
Stainless steel Art.Nr. 282K09AHS100
Anodised aluminium Art.Nr. 282K09AHA100



Stainless steel extra headlamp fitting with hinge for mounting to 60 mm pipe (e.g. for Hella headlamps)
Art. Nr. 282097157499



Stainless steel extra headlamp fitting Mounting to 60er pipe (e.g. bullbar o. roof bar)
Art. Nr. 282007157499-N

Your advertisement in illuminated letters.....



Cab roof - lighted sign ESP

Rounded above, 24 Volt with Neon pipe

H 300 x W 1250 x D 135 mm Art.-Nr. 25509SP30125

H 300 x W 1600 x D 135 mm Art.-Nr. 25509SP30160

H 400 x W 1250 x D 135 mm Art.-Nr. 25509SP40125

H 400 x W 1600 x D 135 mm Art.-Nr. 25509SP40160



Cab roof - lighted sign Standard

rectangular; 24 Volt with Neon pipe

H 300 x W 1300 x D 135 mm Art.-Nr. 25509ST30130

H 300 x W 1600 x D 135 mm Art.-Nr. 25509ST30160

H 400 x W 1300 x D 135 mm Art.-Nr. 25509ST40130

H 400 x W 1600 x D 135 mm Art.-Nr. 25509ST40160

Fuel dip stick made of stainless steel with foot



Length 1200mm

with lighting or ball

**Not allowed by the German Road
Traffic Licensing Agency**

Straight

Red/white piece. Art. Nr. 286097157504

Orange/orange piece Art. Nr. 286097157507

With ball stick. Art. Nr. 286097157500

Additional holder for fuel dip stick

high (55mm) Stk. Art. Nr. 286097351191

low (35mm) Stk. Art. Nr. 286097351105

Fuel dip stick made of stainless steel with foot



Length 1200mm

with lighting or ball

**Not allowed by the German Road Traffic
Licensing Agency**

Bent

Red/white piece. Art. Nr. 286097157505

Orange/orange piece Art. Nr. 286097157508

With ball piece. Art. Nr. 286097157501



Tachograph cupboard

carcass burr walnut, back
wall black, with glass door,
522x482x170 mm

Art. Nr. 11801DIA09WS



Universal middle console cupboard.

B436xL440xH120 mm

Walnutdesign

Art. Nr. 11509MKS04W

Black

Art. Nr. 11509MKS04S

Grey

Art. Nr. 11509MKS04G



Driver- und passengertable for Fiat Ducato, Peugeot Boxer, Citroen Jumper from model 2006

Walnutdesign

Drivertable Art. Nr. 112KL-TR01W

Passengertable Art. Nr. 112KL-TR02W

Leatherdesign, black

Drivertable Art. Nr. 111KL-TR01

Passengertable Art. Nr. 111KL-TR02



Leatherdesign, black



Aluminiumdesign

Aluminiumdesign

Drivertable Art. Nr. 110KL-TR01A

Passengertable Art. Nr. 110KL-TR02A



Art. Nr. 11509MKS01G

Universal middle console cupboard

W356xL535xH275 mm

Walnutdesign

Art. Nr. 11509MKS01W

Black

Art. Nr. 11509MKS01S

Grey

Art. Nr. 11509MKS01G

(without pic.) with
hanging index file,

W355xL456xH355 mm

Walnutdesign

Art. Nr. 11509MKS02W

Black

Art. Nr. 11509MKS02S

Grey

Art. Nr. 11509MKS02G



Walnutdesign

Table Ford Transit from 2006

Walnutdesign

Art. Nr. 112KL-TR03W

Black Leatherdesign

Art. Nr. 111KL-TR03

Aluminiumdesign

Art. Nr. 111KL-TR03



Black Leatherdesign



Aluminiumdesign

Marlen Truck Styling GmbH

Tornescher Weg 105

D-25436 Uetersen

Fon: +49 4122 460 50 • Fax: +49 4122 90 10 33

www.marlen-truck.de • email: info@marlen-truck.de

EXCLUSIVE * EINBAUMÖBEL * FÜR * IHREN * LKW *
MARLEN
Truck - Styling

ONLINE
SHOPPEN
www.marlen-truck.de